

Registration form

Competent Person Course \$100.00

Continuing Education Course Only, this course does not include a hands-on or actual training.
48 HOUR RUSH ORDER PROCESSING FEE ADDITIONAL \$50.00

Start and finish dates: _____

List number of hours worked on assignment must match State Requirement. _____

Name _____ **Signature** _____

I have read and understood the disclaimer notice on page 2. Digitally sign XXX

Address _____

City _____ **State** _____ **Zip** _____

Email _____ **Fax (____)** _____

Phone:
Home (____) _____ **Work (____)** _____

Operator ID # _____ **Exp. Date** _____

Please circle/check which certification you are applying the course CEU's/PDH's.

Water Treatment____ Distribution____ Collection____ Wastewater Treatment____

Competent Person Renewal____ CCB \$50____ Onsite Installer____ Other _____

Technical Learning College PO Box 3060, Chino Valley, AZ 86323
Toll Free (866) 557-1746 Fax (928) 272-0747 info@tlch2o.com

If you've paid on the Internet, please write your Customer# _____

Please invoice me, my PO# _____

Please pay with your credit card on our website under Bookstore or Buy Now. Or call us and provide your credit card information.

DISCLAIMER NOTICE

I understand that it is my responsibility to ensure that this CEU course is either approved or accepted in my State for CEU credit. I understand State laws and rules change on a frequent basis and I believe this course is currently accepted in my State for CEU or contact hour credit, if it is not, I will not hold Technical Learning College responsible. I fully understand that this type of study program deals with dangerous, changing conditions and various laws and that I will not hold Technical Learning College, Technical Learning Consultants, Inc. (TLC) liable in any fashion for any errors, omissions, advice, suggestions or neglect contained in this CEU education training course or for any violation or injury, death, neglect, damage or loss of your license or certification caused in any fashion by this CEU education training or course material suggestion or error or my lack of submitting paperwork. It is my responsibility to call or contact TLC if I need help or assistance and double-check to ensure my registration page and assignment has been received and graded. It is my responsibility to ensure all information is correct and to abide with all rules and regulations.

Professional Engineers; Most states will accept our courses for credit but we do not officially list the States or Agencies. Please check your State for approval or acceptance.

You can obtain a printed version of the course manual from TLC for an additional \$89.95 plus shipping charges.

AFFIDAVIT OF EXAM COMPLETION

I affirm that I personally completed the entire text of the course. I also affirm that I completed the exam without assistance from any outside source. I understand that it is my responsibility to file or maintain my certificate of completion as required by the state or by the designation organization.

Grading Information

In order to maintain the integrity of our courses we do not distribute test scores, percentages or questions missed. Our exams are based upon pass/fail criteria with the benchmark for successful completion set at 70%. Once you pass the exam, your record will reflect a successful completion and a certificate will be issued to you.

Do not solely depend on TLC's Approval list for it may be outdated.

Many States and employers require the final exam to be proctored.

All downloads are electronically tracked and monitored for security purposes.

We will stop mailing the certificate of completion we need your e-mail address. We will e-mail the certificate to you, if no e-mail address; we will mail it to you.

For Texas TCEQ Wastewater Licensed Operators Information

Wastewater/Collections Rule Changes

Rule Changes and Updates for Domestic Wastewater Systems

On Nov. 4, 2014, TCEQ commissioners adopted revisions to 30 Texas Administrative Code (TAC), Chapter 217, Design Criteria for Domestic Wastewater Systems, and “re-adopted” previously repealed rules in 30 TAC, Chapter 317, Design Criteria Prior to 2008.

Some of the changes to Chapter 217 include:

- Adding new definitions and clarifying existing definitions;
- Adding design criteria and approval requirements for rehabilitation of existing infrastructure;
- Adding design criteria for new technologies, including cloth filters and air lift pumps;
- Making changes to reflect modern practices, standards and trends;
- Modifying rule language to improve readability and enforceability; and
- Modifying the design organic loadings and flows for a new wastewater treatment facility.

SUBCHAPTER A: ADMINISTRATIVE REQUIREMENTS §§217.1 - 217.18

Effective December 4, 2015 §217.1. Applicability. (a) Applicability. (1) This chapter applies to the design, operation, and maintenance of: (A) domestic wastewater treatment facilities that are constructed with plans and specifications received and approved by the executive director after the effective date of the amendments to this chapter; (B) treatment units that are altered, constructed, or re-rated with plans and specifications received and approved by the executive director after the effective date of the amendments to this chapter; (C) collection systems that are constructed with plans and specifications received and approved by the executive director after the effective date of the amendments to this chapter; (D) collection system units that are altered, constructed, or re-rated with plans and specifications received and approved by the executive director after the effective date of the amendments to this chapter; (E) existing domestic wastewater treatment facilities that do not have a current Texas Pollutant Discharge Elimination System permit or a Texas Land Application Permit and are required to have an active wastewater permit; (F) existing wastewater treatment facilities and collection systems that never received approval for plans and specifications from the executive director; and (G) collection system rehabilitation projects covered in §217.56(c) and §217.69 of this title (relating to Trenchless Pipe Installation; and Maintenance, Inspection, and Rehabilitation of the Collection System). (2) Domestic wastewater treatment facilities, treatment units, collection systems, and collection system units with plans and specifications approved by the executive director that were received on or after August 28, 2008 and before the effective date of this chapter must comply with the rules in this chapter, as they existed immediately before the effective date of the amendments to this chapter.

The rules in Texas Commission on Environmental Quality Page 2 Chapter 217 - Design Criteria for Domestic Wastewater Systems effect immediately before the effective date of the amendments to this chapter are continued in effect for that purpose. (3) This chapter does not apply to: (A) the design, installation, operation, or maintenance of domestic wastewater treatment facilities, treatment units, collection systems, or collection system units with plans and specifications that were approved by the executive director on or before August 27, 2008, which are governed by Chapter 317 of this title (relating to Design Criteria Prior to 2008) or design criteria that preceded Chapter 317 of this title; and (B) systems regulated by Chapter 285 of this title (relating to On-Site Sewage Facilities); or collection systems or wastewater treatment facilities that collect, transport, treat, or dispose of wastewater that does not have the characteristics of domestic wastewater, although the wastewater may contain domestic wastewater.

(b) The executive director may grant variances from new requirements added by the amendments of this chapter to a person who proposes to construct, alter, or re-rate a collection system or wastewater treatment facility if the plans and specifications for the project are submitted within 180 days after the date the amendments to this chapter are effective, provided the plans and specifications comply with the rules in effect immediately prior to the amendment. Adopted November 4, 2015 Effective December 4, 2015

The link to the rules is available on the TCEQ website at <https://www.tceq.texas.gov/rules/indxpdf.html>

For Texas Students Only....

Please sign and date this notice

Printed Name

Signature

Date

Texas Students Only
Acknowledgement of Notice of Potential Ineligibility for License
You are required to sign and return to TLC or your credit will not be reported.

Name: _____

Date of Birth: _____

Email Address: _____

By signing this form, I acknowledge that Technical Learning College notified me of the following:

- the potential ineligibility of an individual who has been convicted of an offense to be issued an occupational license by the Texas Commission on Environmental Quality (TCEQ) upon completion of the educational program;
- the current TCEQ Criminal Conviction Guidelines for Occupational Licensing, which describes the process by which the TCEQ's Executive Director determines whether a criminal conviction:
 - renders a prospective applicant an unsuitable candidate for an occupational license;
 - warrants the denial of a renewal application for an existing license; or
 - warrants revocation or suspension of a license previously granted.
- the right to request a criminal history evaluation from the TCEQ under Texas Occupations Code Section 53.102; and
- that the TCEQ may consider an individual to have been convicted of an offense for the purpose of denying, suspending or revoking a license under circumstances described in Title 30 Texas Administrative Code Section 30.33.

Enrollee Signature: _____ Date: _____

Name of Training Provider/Organization: Technical Learning College

Contact Person: Melissa Durbin Role/Title: Dean

COMPETENT PERSON CEU TRAINING COURSE
Excavation & Trenching CEU Training Course
CUSTOMER SERVICE RESPONSE CARD

NAME: _____

E-MAIL _____ PHONE _____

PLEASE COMPLETE THIS FORM BY CIRCLING THE NUMBER OF THE APPROPRIATE ANSWER IN THE AREA BELOW.

Please rate the difficulty of your course.

Very Easy 0 1 2 3 4 5 Very Difficult

Please rate the difficulty of the testing process.

Very Easy 0 1 2 3 4 5 Very Difficult

Please rate the subject matter on the exam to your actual field or work.

Very Similar 0 1 2 3 4 5 Very Different

How did you hear about this Course? _____

What would you do to improve the course?

Any other concerns or comments.

Please write down any questions you were not able to find the answers or that have errors.

Rush Grading Service

If you need this assignment graded and the results mailed to you within a 48-hour period, prepare to pay an additional rush service handling fee of \$50.00. This fee may not cover postage costs. If you need this service, simply write RUSH on the top of your Registration Form. We will place you in the front of the grading and processing line.

For security purposes, please fax or e-mail a copy of your driver's license and always call us to confirm we've received your assignment and to confirm your identity.

This course is not good for confined space or competent person certification; this course is only for continuing education purposes. You need a hands-on course for confined space certification. Confined space work/Trenching work is very dangerous and this course is not a substitute for classroom training, it is for professional development only.

Make sure that your State will accept this course for credit.

California Water Resource Board (Dept. of Public Health) generally does not accept safety courses for credit or assigns ¼ credit.

Please fax or e-mail the answer key to TLC
Western Campus Fax (928) 272-0747.

Competent Person Answer Key

Name _____

Phone _____

Did you check with your State agency to ensure this course is accepted for credit?

You are responsible to ensure this course is accepted for credit.
Method of Course acceptance confirmation. Please fill this section

Website ___ Telephone Call ___ Email ___ Spoke to _____

Did you receive the approval number, if applicable? _____

You can electronically complete this assignment in Adobe Acrobat DC.

Please write down any questions you were not able to find the answers or that have errors.

Please Circle, Bold, Underline or X, one answer per question. A **felt tipped pen** works best.

- | | | | |
|-------------|-------------|-------------|-------------|
| 1. A B C D | 18. A B | 35. A B C D | 52. A B |
| 2. A B | 19. A B | 36. A B C D | 53. A B |
| 3. A B C D | 20. A B C D | 37. A B C D | 54. A B C D |
| 4. A B C D | 21. A B C D | 38. A B C D | 55. A B |
| 5. A B C D | 22. A B C D | 39. A B C D | 56. A B |
| 6. A B C D | 23. A B C D | 40. A B C D | 57. A B C D |
| 7. A B C D | 24. A B C D | 41. A B C D | 58. A B C D |
| 8. A B C D | 25. A B C D | 42. A B C D | 59. A B C D |
| 9. A B C D | 26. A B C D | 43. A B C D | 60. A B C D |
| 10. A B C D | 27. A B C D | 44. A B C D | 61. A B C D |
| 11. A B C D | 28. A B C D | 45. A B C D | 62. A B C D |
| 12. A B C D | 29. A B C D | 46. A B C D | 63. A B C D |
| 13. A B C D | 30. A B C D | 47. A B C D | 64. A B C D |
| 14. A B C D | 31. A B C D | 48. A B C D | 65. A B C D |
| 15. A B C D | 32. A B C D | 49. A B C D | 66. A B C D |
| 16. A B C D | 33. A B C D | 50. A B C D | 67. A B C D |
| 17. A B C D | 34. A B C D | 51. A B C D | 68. A B C D |

- | | | | |
|--------------|--------------|--------------|--------------|
| 69. A B C D | 102. A B C D | 135. A B C D | 168. A B C D |
| 70. A B C D | 103. A B C D | 136. A B C D | 169. A B |
| 71. A B C D | 104. A B C D | 137. A B | 170. A B |
| 72. A B C D | 105. A B C D | 138. A B C D | 171. A B |
| 73. A B C D | 106. A B C D | 139. A B C D | 172. A B C D |
| 74. A B C D | 107. A B C D | 140. A B C D | 173. A B C D |
| 75. A B C D | 108. A B C D | 141. A B C D | 174. A B |
| 76. A B | 109. A B C D | 142. A B | 175. A B |
| 77. A B | 110. A B C D | 143. A B C D | 176. A B |
| 78. A B | 111. A B C D | 144. A B C D | 177. A B C D |
| 79. A B C D | 112. A B C D | 145. A B C D | 178. A B C D |
| 80. A B C D | 113. A B C D | 146. A B C D | 179. A B C D |
| 81. A B C D | 114. A B C D | 147. A B C D | 180. A B C D |
| 82. A B C D | 115. A B C D | 148. A B | 181. A B |
| 83. A B C D | 116. A B C D | 149. A B | 182. A B C D |
| 84. A B C D | 117. A B C D | 150. A B C D | 183. A B |
| 85. A B C D | 118. A B C D | 151. A B C D | 184. A B |
| 86. A B C D | 119. A B | 152. A B C D | 185. A B |
| 87. A B C D | 120. A B C D | 153. A B C D | 186. A B |
| 88. A B C D | 121. A B C D | 154. A B C D | 187. A B |
| 89. A B C D | 122. A B C D | 155. A B C D | 188. A B C D |
| 90. A B C D | 123. A B C D | 156. A B C D | 189. A B C D |
| 91. A B C D | 124. A B C D | 157. A B C D | 190. A B C D |
| 92. A B C D | 125. A B C D | 158. A B C D | 191. A B C D |
| 93. A B C D | 126. A B C D | 159. A B C D | 192. A B C D |
| 94. A B C D | 127. A B C D | 160. A B C D | 193. A B C D |
| 95. A B C D | 128. A B C D | 161. A B C D | 194. A B |
| 96. A B | 129. A B C D | 162. A B C D | 195. A B |
| 97. A B C D | 130. A B C D | 163. A B C D | 196. A B |
| 98. A B C D | 131. A B C D | 164. A B C D | 197. A B C D |
| 99. A B C D | 132. A B C D | 165. A B C D | 198. A B C D |
| 100. A B C D | 133. A B C D | 166. A B C D | 199. A B C D |
| 101. A B C D | 134. A B C D | 167. A B C D | 200. A B C D |

NOTICE

THIS MATERIAL WAS PREPARED BY TECHNICAL LEARNING COLLEGE. THIS PUBLICATION IS DESIGNED TO PROVIDE BASIC INFORMATION IN THE REGARD TO THE SUBJECT OF AWARENESS ONLY.

THE INFORMATION PROVIDED IS NOT DESIGNED TO INTERPRET THE FEDERAL RULES OR STATE LAWS, STANDARDS, RULES OR REGULATIONS OR TO REPLACE THE LEGAL ADVICE OF AN ATTORNEY.

TECHNICAL LEARNING COLLEGE WILL NOT TAKE ANY RESPONSIBLY FOR ANY INJURIES, DEATHS, OR TO DAMAGE PROPERTY, REAL OR OTHERWISE CONNECTED TO THIS TRAINING.

EXCAVATION WORK IS VERY DANGEROUS. IF THERE IS ANY MATERIAL WHICH YOU DO NOT CLEARLY UNDERSTAND, IT IS YOUR RESPONSIBILITY TO HAVE THOSE AREAS EXPLAINED TO YOU BY YOUR SUPERVISOR.

TECHNICAL LEARNING COLLEGE AND THE INSTRUCTOR ARE NOT RESPONSIBLE FOR ANY PERSONAL PROPERTY DAMAGE OR FOR YOUR COMPANY'S SAFETY POLICES OR PROCEDURES.

TECHNICAL LEARNING COLLEGE IS NOT LIABLE IN ANY WAY FOR ANY INJURIES, DEATHS, LOSS OF WAGES, OR LOSS OF PROPERTY.

I HAVE READ THE ABOVE AND UNDERSTAND THAT THIS IS ONLY A TRAINING AWARENESS OR A REVIEW SESSION.

I ALSO UNDERSTAND THAT EXCAVATION WORK IS VERY DANGEROUS AND THAT IT IS MY RESPONSIBILITY TO KNOW AND FOLLOW ALL PERTINENT SAFETY POLICES AND PROCEDURES.

NAME: _____ **DATE:** _____

Submit this document with your assignment.

**Please fax the answer key to TLC Western Campus
Fax (928) 272-0747**

Always call us after faxing the paperwork to ensure that we've received it.

Rush Grading Service

If you need this assignment graded and the results mailed to you within a 48-hour period, prepare to pay an additional rush service handling fee of \$50.00.

This course contains general OSHA's federal rule requirements. Please be aware that each state implements safety regulations that may be more stringent than OSHA's regulations. Check with your state environmental/health agency for more information. These rules change frequently and are often difficult to interpret and follow. Be careful to be in compliance with your regulatory agencies and do not follow this course for any compliance concerns.

Competent Person CEU Training Course Assignment

The Competent Person CEU course assignment is available in Word on the Internet for your convenience, please visit www.ABCTLTC.com and download the assignment and e-mail it back to TLC.

You will have 90 days from receipt of this manual to complete it in order to receive your Professional Development Hours (PDHs) or Continuing Education Unit (CEU). A score of 70 % or better is necessary to pass this course. If you should need any assistance, please email or fax all concerns and the completed ANSWER KEY to info@tlch2o.com.

Select one answer per question. Please utilize the answer key. (s) on the answer will indicate either plural and singular tenses.

Excavation and Trenching Section

1. Although employers have options when meeting some of the requirements, _____ must realize that the employee must be protected at all times.
A. Competent persons C. Contractors
B. Employers D. None of the above
2. Professional engineers will be required in some situations to plan or design the excavation and/or method of protecting the worker.
A. True B. False
3. According to the text, the _____ was revised because excavating is the most dangerous of all construction operations.
A. Competent rule C. Emergency rule
B. OSHA excavation standard D. None of the above
4. OSHA also revised the _____ to clarify the requirements.
A. Competent rule C. Protective equipment standard
B. Existing standard D. None of the above
5. The performance criteria in the new standard provides employers with options when classifying soil and when selecting methods to protect the _____ from cave-ins.
A. Competent person C. Construction equipment
B. Employee D. None of the above

Competent Person

6. Competent person means one who is capable of identifying existing hazards in the surroundings or working conditions which are unsanitary, hazardous, or dangerous to employees. The _____ has authorization to take prompt corrective measures to eliminate identified hazards.
A. Competent person C. Watchman
B. Contractor D. None of the above
7. A _____ must have specific training in and be knowledgeable about soils analysis, the use of protective systems and the requirements of 29 CFR Part 1926.650-652 Subpart P.
A. Competent person C. Watchman
B. Contractor D. None of the above

8. Everyone is required to practice _____ one a year.
- A. Competent person training
 - B. Rescue training exercises
 - C. Emergency procedures
 - D. None of the above

Competent Person Duties

9. The competent person must have knowledge of _____, telephone or radio dispatch.
- A. Personnel assignments
 - B. Work schedules
 - C. Emergency contact methods
 - D. None of the above
10. The competent person removes employees and _____ from hazardous conditions and makes all changes necessary to ensure their safety.
- A. Competent persons
 - B. All other personnel
 - C. Protective equipment
 - D. None of the above
11. The competent person performs daily inspections of the protective equipment, _____, safety equipment, and adjacent areas.
- A. Work progress
 - B. Construction Crew
 - C. Trench conditions
 - D. None of the above
12. The competent person shall make _____ prior to the start of work and as needed throughout the shift.
- A. Personnel assignments
 - B. Training available
 - C. Inspections
 - D. None of the above
13. The competent person shall make _____ after every rainstorm or other hazard occurrence.
- A. Inspections
 - B. Training available
 - C. Protective equipment available
 - D. None of the above
14. The competent person makes sure that all _____ have proper protective equipment, hard-hats, reflective vests, steel-toed boots, harnesses, eye protection, hearing protection and drinking water.
- A. Competent persons
 - B. Contractors
 - C. Employees
 - D. None of the above

Scope of Work

15. According to the text, during excavation work a competent person shall be on the job site at all times when personnel are working within or around the _____.
- A. Competent person
 - B. Contractors
 - C. Excavation
 - D. None of the above
16. Prior to opening an excavation, the estimated locations of _____ that reasonably may be expected to be encountered during excavation work shall be determined.
- A. Unauthorized persons
 - B. Employees
 - C. Underground utility installations
 - D. None of the above
17. _____ shall be taken to protect employees against the hazards posed by water accumulation in the excavation.
- A. Additional care
 - B. Adequate precautions
 - C. Ladders
 - D. None of the above

18. According to the text, employees shall be protected from excavated or other materials or equipment that could pose a hazard by falling or rolling into excavations.
A. True B. False
19. The ladder(s), stairway(s), or ramp shall be spaced so that no employee in the trench excavation is more than fifty (50') feet from a means of egress.
A. True B. False
20. In trench excavations that are four (4') feet or more in depth, a stairway, ladder, or ramp shall be used as a _____.
A. Tool C. Bridge
B. Means of access or egress D. None of the above
21. When excavations are made in vehicular traffic areas, _____ shall wear a warning vest made with reflective material or highly visibility material.
A. Competent persons C. Rescue personnel
B. Each employee D. None of the above
22. The air shall be tested in excavations where _____ exist, or could be reasonably expected to exist.
A. Limited visibilities C. Oxygen deficiency or gaseous conditions
B. Employees D. None of the above
23. When the atmosphere contains less than 19.5 percent oxygen, the area must be continuously ventilated until the _____.
A. Excavation is closed C. Oxygen levels are above 19.5 percent
B. Employees enter the space D. None of the above
24. Where a _____, the area shall be ventilated until the flammable gas concentration is below 20 percent of the LFL (lower flammable limit).
A. Competent person requires monitoring C. Worker encounters fumes
B. Gaseous condition exists D. None of the above
25. Whenever _____ exist or could reasonably exist, the air must be monitored continuously to assure that workers are protected.
A. Traffic conditions C. Oxygen deficiency or gaseous conditions
B. Excavations D. None of the above
26. Where the stability of adjoining buildings, walls or other structures are _____, shoring, bracing, or underpinning shall be provided to ensure the stability of such structures for the protection of employees.
A. Not a concern C. Endangered by excavation operations
B. Not mentioned in the specifications D. None of the above
27. In situations where sidewalks, pavement and appurtenant structures may be undermined, a support system such as shoring must be provided to protect _____ from the possible collapse of such structures.
A. Unauthorized persons C. Vehicles
B. Employees D. None of the above

Personnel Protective Systems

28. According to the text, employees in _____ shall be protected from cave-ins by an adequate protective system, which shall be inspected by a competent person.
- A. Excavations
 - B. Vehicles
 - C. Protective systems
 - D. None of the above
29. Requirements for sloping, benching or protective systems are found in _____.
- A. Safety Manuals
 - B. Tabulated data
 - C. CFR 1926.652 (OSHA Construction Standards)
 - D. None of the above
30. Whenever support systems, _____, or other protective systems are being used, a written copy of the manufacturer's specifications, recommendations, and limitations sheet shall be available at the job site.
- A. Shield systems
 - B. Tabulated data
 - C. Ramps
 - D. None of the above
31. The use of _____ is required for all excavations deeper than five (5') feet, except when excavation is within stable rock.
- A. Tables
 - B. Tabulated data
 - C. Protective systems
 - D. None of the above
32. For trench excavations less than five (5') feet deep, the use of _____ may not be required unless there is evidence of a potential cave-in. The competent person shall make this determination.
- A. Ladders
 - B. Protective systems
 - C. Ramps
 - D. None of the above

Excavation Protection Systems

33. There are three basic protective systems for excavations and trenches. They are sloping and benching systems, _____, and shields.
- A. Shoring
 - B. Ramps
 - C. Attendants
 - D. None of the above
34. Every employee in an excavation or trench shall be protected from _____ by an adequate protective system.
- A. Unauthorized persons
 - B. Cave-ins
 - C. Polluted air
 - D. None of the above

Sloping and Benching Systems

35. An option for sloping is to slope to the angle required by OSHA Construction Standards for Type C, which is the most _____.
- A. Unstable soil type
 - B. Stable soil type
 - C. Porous soil type
 - D. None of the above
36. Another option for sloping is to first determine the soil type, then use the table provided in Appendix B of the standard to determine the _____.
- A. Maximum allowable angle
 - B. Porosity
 - C. Protective system to be used
 - D. None of the above

37. Another option for sloping is to utilize _____ prepared by a registered professional engineer.

- A. Instructions
- B. Tabulated data
- C. Standards
- D. None of the above

38. According to the text, a registered professional engineer can design a _____ for a specific job.

- A. Table
- B. Sloping plan
- C. Protective system
- D. None of the above

39. _____ for excavations five (5) to twenty (20) feet in depth must be constructed in accordance with the instructions of a designated competent person.

- A. Sloping and benching systems
- B. Tabulated data
- C. Trench excavation limits
- D. None of the above

40. A registered professional engineer must design and stamp the sloping and benching systems for excavations _____.

- A. Greater than twenty (20) feet deep
- B. In traffic areas
- C. To be made by contractors
- D. None of the above

Shoring Systems

41. _____ is another protective system that utilizes a framework of vertical members, horizontal members, and cross braces to support the sides of the excavation to prevent a cave-in.

- A. Shoring
- B. Tabulated data
- C. Lateral support
- D. None of the above

Shield Systems (Trench Boxes)

42. Shielding is the third method of providing a safe workplace in excavations. Unlike sloping and shoring, _____ does not prevent a cave-in.

- A. Shielding
- B. Tabulated data
- C. Soil testing
- D. None of the above

43. Shields are designed to _____, thereby protecting the employees working inside the structure.

- A. Withstand the soil forces caused by a cave-in
- B. Keep water out of the excavation
- C. Bend but not break
- D. None of the above

44. Design and construction of _____ is not covered in the OSHA Standards.

- A. Sloping and benching systems
- B. Shielding
- C. Protective systems
- D. None of the above

Safety Precautions for Shield Systems

45. There must not be any lateral movement of _____ when installed.

- A. Sloping and benching systems
- B. Shields
- C. Ladders
- D. None of the above

46. To protect employees from cave-ins when entering and exiting the shield, a ladder within the _____ or a properly sloped ramp at the end shall be provided.

- A. Shield
- B. Jobsite
- C. Tabulated data
- D. None of the above

47. According to the text, employees are not allowed in the _____ during installation, removal, or during any vertical movement.
- A. Sloping and benching systems C. Vicinity of the excavation
B. Shield D. None of the above
48. Shields can be installed 2 ft. above the bottom of an excavation, provided that they are designed to _____.
- A. Tabulated data C. Be easily removed
B. Resist loads at the full depth D. None of the above
49. The _____ must extend at least 18 inches above the point where proper sloping of the excavation begins.
- A. Sloping and benching systems C. Protective systems
B. Shield D. None of the above
50. The exposed excavation wall at the _____ must be sloped, shored, or shielded.
- A. Excavation site C. Traffic side of the excavation
B. Open end of the shield D. None of the above

Personal Protective Equipment

51. _____ requires that employees wear a hard hat, safety glasses, and work boots on the jobsite.
- A. The contractor C. Recommended practice
B. OSHA policy D. None of the above

Excavation & Trenching Guidelines

52. Procedures and guidelines for the protection of employees working in and around excavations and trenches must be in compliance with OSHA Standards described in Subpart P (CFR 1926.650) for the construction industry.
- A. True B. False
53. According to the text, the competent person(s) must be trained in accordance with the OSHA Excavation Standard, and all other programs that may apply, and must demonstrate a thorough understanding and knowledge of the programs and the hazards associated.
- A. True B. False
54. All other employees working in and around the excavation must be trained to recognize the hazards associated with _____.
- A. OSHA Standards C. Personal protective equipment
B. Trenching and excavating D. None of the above

Hazard Controls

55. Knowing the location of underground installations is a good idea because it could make the work go faster.
- A. True B. False
56. An excavation safety plan must be developed to protect employees.
- A. True B. False
57. All overhead hazards (surface encumbrances) must be removed or supported to _____.
- A. Meet OSHA Standards C. Eliminate the hazard
B. Make trenching and excavating easier D. None of the above

58. If _____ will be over 20 feet deep, it must be designed by a registered professional engineer.
- A. An excavation
 - B. A means of access or egress
 - C. Construction equipment
 - D. None of the above
59. _____, such as sloping, shoring, or shielding, will be utilized to protect employees.
- A. Adequate protective systems
 - B. Soil classifications
 - C. Soil testing
 - D. None of the above
60. Workers must be supplied with, and wear, any _____ deemed necessary to protect them while working in excavations.
- A. Uniforms
 - B. Apparel
 - C. Personal protective equipment
 - D. None of the above
61. All _____ must be stored at least two (2) feet from the sides of the excavation. The spoil pile must not block the safe means of egress.
- A. Safety plans
 - B. Barricades
 - C. Spoil piles
 - D. None of the above
62. If a trench or excavation is 4 feet or deeper, stairways, ramps, or ladders must be provided as a safe means of access and egress. Employees working in trenches must not have to travel any more than 25 feet laterally to reach a _____.
- A. Stairway, ramp, or ladder
 - B. Safe area
 - C. Benched area
 - D. None of the above
63. No employee will be permitted to work in an excavation where _____ is accumulating unless adequate protection measures are used to protect the employees.
- A. Construction debris
 - B. Water
 - C. Spoil
 - D. None of the above
64. All excavations and trenches must be inspected daily by a _____, prior to employee exposure or entry. Trenches and excavations will also be inspected after any rainfall, soil change, or any other time needed during the shift.
- A. Professional engineer
 - B. Supervisor
 - C. Competent person
 - D. None of the above
65. When excavations and trenches 4 feet or deeper have the potential for toxic substances or _____, the air will be tested at least daily.
- A. Cave-ins
 - B. Unauthorized workers
 - C. Hazardous atmospheres
 - D. None of the above
66. If work is in or around traffic, _____ must be utilized to ensure the safety of employees, vehicular traffic, and pedestrians.
- A. Signs and barricades
 - B. Soil classifications
 - C. Additional personnel
 - D. None of the above

Excavation Safety Plan

67. A written excavation safety plan is required. This plan is to be developed to the level necessary to ensure complete compliance with the _____ and state and local safety standards.
- A. Professional engineer's requirements
 - B. OSHA Excavation Safety Standard
 - C. Protective systems
 - D. None of the above

Soil Classification and Identification

68. The Simplified Soil Classification System defined by OSHA Standards consists of four categories: _____, Type A, Type B, and Type C.

- A. Stable rock
- B. Gravel
- C. Stiff clay
- D. None of the above

69. Type A soils are _____ with an unconfined compressive strength of 1.5 tons per square foot (TSF) or greater.

- A. The least stable
- B. Cohesive soils
- C. Field tested
- D. None of the above

70. Examples of Type A soils are _____ like caliche and hardpan.

- A. Cemented soils
- B. Soil classifications
- C. Uncommon soils
- D. None of the above

Soil Test & Identification

71. The competent person will classify the _____ according to the definitions in Appendix A of the OSHA standard based on at least one visual and one manual analysis.

- A. Shields
- B. Soil type
- C. Cohesion tests
- D. None of the above

72. The soil in an excavation is subject to change several times within the scope of a project and the _____ will vary with weather and job conditions.

- A. Shields
- B. Shoring
- C. Moisture content
- D. None of the above

73. According to the text, the competent person must also determine the level of protection based on what conditions exist at the time of the test, and _____.

- A. Available equipment
- B. Tabulated data
- C. Allow for changing conditions
- D. None of the above

74. Clay, silt, and sand are _____. Clay particles are the smallest, silt particles are intermediate, and sand particles are the largest.

- A. Very cohesive
- B. Corrosive
- C. Size classifications
- D. None of the above

75. The degree of _____ and plasticity of a soil depend on the amounts of clay, silt, sand, and water present.

- A. Compatibility
- B. Cohesiveness
- C. Durability
- D. None of the above

76. Soil classification tests should be run on freshly excavated samples from the excavation and are designed to determine soil stability based on a number of criteria.

- A. True
- B. False

Shielding

77. Shielding does not prevent cave-ins. Instead, it protects the workers in the event of a cave-in.
A. True B. False
78. Any bent of deformed structural member of a shield system must be repaired or replaced according to the manufactures' guidelines.
A. True B. False
79. When placed in an excavation, shields have sufficient structural strength to support the _____, thereby protecting the employees in the trench.
A. Nearby structures C. Force of a cave-in should one occur
B. Construction vehicles D. None of the above
80. Most _____ have two flat, parallel metal walls that are held apart by metal cross braces that are placed at the ends of the "box." This allows for the installation of pipe within the interior dimensions of the shield.
A. Shields C. Shoring systems
B. Reputable manufacturers D. None of the above
81. An operation where a contractor excavates just enough trench to install the shield, then sets a joint of pipe, then excavates further, then pulls the shield forward to install another joint while the first is being backfilled, is known as "_____".
A. Shielding C. Standard practice
B. Cut and cover D. None of the above
82. _____ have become more popular with public works maintenance crews and contractors working in shallow excavations because of their ease of use.
A. Smaller shields C. Open-ended shields
B. Reputable manufacturers D. None of the above
83. Round shields made of _____ have recently appeared.
A. Approved materials C. Corrugated metal
B. Wood D. None of the above
84. Since shield construction is not covered by OSHA Standards, it is critical that you know your _____.
A. Supplier C. Competent person
B. Safety manual D. None of the above
85. _____ supply boxes designed by registered professional engineers and certified for their applications.
A. Contractor's C. Local
B. Reputable manufacturers D. None of the above
86. Any modification to the shields must be _____.
A. Reported to the competent person C. Approved by the manufacturer
B. Noted in the excavation log D. None of the above
87. Shields in trenches must be installed so as to prevent _____ in the event of a cave-in
A. Lateral movement C. Cohesion tests
B. Damage to equipment D. None of the above

88. According to the text, shields may ride two feet above the bottom of an excavation, provided they are calculated to support the full depth of the excavation and there is no _____ under or behind the shield.
- A. Caving C. Spoil
B. Material D. None of the above
89. Workers must be protected when entering or leaving the shield by using a _____ within the shield or a properly sloped ramp at the end.
- A. Shield C. Support
B. Ladder D. None of the above
90. Workers must exit the shield during its installation, removal, or _____.
- A. Inclement weather C. During vertical movement
B. Soil testing D. None of the above
91. The excavation wall at the _____ should be sloped, shored or shielded off to prevent a cave-in from the end.
- A. Side of the shield C. Open end of the shield
B. End of the job D. None of the above
92. If the excavation will be deeper than the _____, attached shields of the correct specifications may be used. As an alternate, the excavation may be sloped back to the maximum allowable angle from a point 18 inches below the top of the shield.
- A. Planned depth C. Designed depth
B. Shield is tall D. None of the above

Inspections

93. The excavations, adjacent areas, and protective systems shall be inspected daily by the _____.
- A. Contractor C. Competent person
B. Employees D. None of the above
94. During inspections, the competent person shall look for evidence of a situation that could result in a cave-in, indications of _____, hazardous atmospheres or other hazardous conditions.
- A. Failure of protective systems C. OSHA compliance
B. Poor workmanship D. None of the above
95. All _____ shall be conducted by the competent person prior to the start of work, as needed throughout the shift, and after every rainstorm or other increasing hazard.
- A. Inspections C. OSHA compliance inspections
B. Writing of excavation reports D. None of the above

Confined Space Entry Program

Purpose

96. The Confined Space Entry Program is provided to protect authorized employees that will enter confined spaces from safety or health hazards associated with confined spaces.
- A. True B. False

Scope

97. According to the text, you are required to recognize _____ associated with confined spaces.

- A. Internal configurations
- B. Permit-Required Confined Spaces
- C. The dangers and hazards
- D. None of the above

Definitions

Confined space:

98. A permit required confined space (permit space) contains or has a potential to contain a _____.

- A. Recognized internal configuration
- B. Hazardous atmosphere
- C. Entry or exit
- D. None of the above

99. A permit required confined space (permit space) contains a material that has _____.

- A. Authorized entrants
- B. Hazardous atmospheres
- C. The potential for engulfing an entrant
- D. None of the above

100. A permit required confined space (permit space) has an internal configuration such that _____ could be trapped or asphyxiated by inwardly converging walls or by a floor which slopes downward and tapers to a smaller cross-section.

- A. An entrant
- B. Hazardous atmosphere
- C. An internal configuration
- D. None of the above

101. A permit required confined space (permit space) contains any other recognized serious safety or _____.

- A. Engulfing problems
- B. Strange atmospheres
- C. Health hazard
- D. None of the above

102. Each _____ must be marked "Confined Space - Entry Permit Required".

- A. Permit-Required Confined Space
- B. Hazardous atmosphere
- C. Entry or exit
- D. None of the above

103. A confined space is large enough or so configured that an employee can _____.

- A. Have sufficient oxygen
- B. Bodily enter and perform work
- C. Recognize serious safety or health hazards
- D. None of the above

104. A confined space has limited or restricted means for _____.

- A. An internal configuration
- B. Entry or exit
- C. Hazardous atmosphere
- D. None of the above

105. A confined space is not designed for _____.

- A. An internal configuration
- B. Hazardous atmospheres
- C. Continuous employee occupancy
- D. None of the above

Confined Space Hazards

106. Fatalities and injuries constantly occur among construction workers who are required to enter _____.

- A. An internal configuration
- B. Hazardous atmosphere
- C. Confined spaces
- D. None of the above

107. Workers encounter both inherent and _____ within confined workspaces.
- A. An internal configuration
 - B. Induced hazards
 - C. Hazardous atmosphere
 - D. None of the above

Inherent Hazards

108. _____ are associated with specific types of equipment and the interactions among them. These hazards can be electrical, thermal, chemical, mechanical, etc.

- A. Inherent hazards
- B. Hazardous atmospheres
- C. Recognized serious safety or health hazards
- D. None of the above

109. Inherent hazards include high voltage, radiation generated by equipment, _____, omission of protective features, high or low temperatures, high noise levels, and high-pressure vessels and lines.

- A. Defective design
- B. Hazardous atmosphere
- C. An internal configuration
- D. None of the above

110. Inherent hazards usually cannot be eliminated without degrading or shutting down the system or equipment. Therefore, emphasis must be placed on _____.

- A. Hazard control methods
- B. Hazardous atmospheres
- C. Continuous employee occupancy
- D. None of the above

Induced Hazards

111. _____ result from a multitude of incorrect decisions and actions that occur during the actual construction process.

- A. Induced hazards
- B. Below-grade locations
- C. Build-up of explosive gases
- D. None of the above

112. Some examples of induced hazards are: omission of protective features, physical arrangements that may cause unintentional worker contact with electrical energy sources, oxygen-deficient atmospheres created at the bottom of pits or shafts, lack of safety factors in structural strength, and _____.

- A. Common confined spaces
- B. Flammable atmospheres
- C. Extreme temperatures
- D. None of the above

Typical Examples of Confined Workspaces

113. Confined workspaces in construction contain _____.

- A. Purging agents
- B. Below-grade location
- C. Both inherent and induced hazards
- D. None of the above

Vaults

114. Workers must enter _____ found on the construction jobsite to perform a number of functions.

- A. Common confined spaces
- B. Hazards
- C. A variety of vaults
- D. None of the above

115. The restricted nature of vaults and their frequently _____ are reasons that vaults have an assortment of safety and health problems.

- A. Purged atmosphere
- B. Below-grade location
- C. Explosive atmosphere
- D. None of the above

Oxygen-Deficient Atmosphere

116. The ever-present possibility of _____ is one of the major problems confronting construction workers while working in vaults.

- A. A common confined space
- B. Vaults
- C. An oxygen-deficient atmosphere
- D. None of the above

Explosive or Toxic Gases, Vapors, or Fumes

117. _____ produce toxic fumes which are confined in the limited atmosphere of a confined space.

- A. Purging agents
- B. Below-grade locations
- C. Welding and soldering
- D. None of the above

Electrical Shock

118. _____ results because the contractor has not provided an approved grounding system or the protection afforded by ground-fault circuit interrupters or low-voltage systems.

- A. Common confined space
- B. Electrical shock
- C. An oxygen-deficient atmosphere
- D. None of the above

Purging

119. Purging agents such as nitrogen and argon may enter a vault from adjacent areas. These agents may displace the oxygen in the vault and asphyxiate workers almost immediately.

- A. True
- B. False

Materials Falling In and On

120. According to the text, a _____ normally considered a problem associated with confined spaces is material or equipment which may fall into the vault.

- A. Common confined space
- B. Hazard
- C. Oxygen-deficient atmosphere
- D. None of the above

121. If the _____ were removed, materials could fall into the vault, causing injury to the workers inside.

- A. Purging agents
- B. Manhole covers
- C. Explosive gases
- D. None of the above

Condenser Pits

122. Because of their large size, condenser pits found in the construction of nuclear power plants are often overlooked as _____.

- A. Common confined spaces
- B. Hazards
- C. Potentially hazardous confined spaces
- D. None of the above

123. Condenser pits create large containment areas for the accumulation of toxic fumes and gases, or for the creation of _____ when purging with argon, Freon, and other inert gases.

- A. Purging agents
- B. Oxygen-deficient atmospheres
- C. Build-up of explosive gases
- D. None of the above

124. Workers above will create other _____ by dropping equipment, tools, and materials into the condenser pit.

- A. Hazards
- B. Collection places
- C. Problems with the pumps
- D. None of the above

Manholes

125. Manholes are necessary to provide a means of entry into and exit from vaults, tanks, and pits, but these confined spaces may present _____ which could cause injuries and fatalities.

- A. Serious hazards
- B. Ventilation ducts
- C. Sumps
- D. None of the above

126. _____ are associated with manholes. For example, workers could fall into manholes when covers are missing.

- A. Nitrogen purges
- B. Collection places
- C. A variety of hazards
- D. None of the above

Pipe Assemblies

127. The pipe assembly is one of the _____ encountered throughout the construction site,

- A. Electrical shock risks
- B. Ventilation ducts
- C. Most frequently unrecognized types of confined spaces
- D. None of the above

128. Once inside a pipe assembly, workers are faced with _____, often caused by purging with argon or another inert gas.

- A. Nitrogen purge or dry air
- B. Collection places
- C. Potential oxygen-deficient atmospheres
- D. None of the above

129. The worker in a pipe may be subject to toxic atmospheres from _____ generated by the worker in the pipe, or by other workers operating outside the pipe at either end.

- A. Electrical shock
- B. Welding fumes
- C. Sumps
- D. None of the above

130. Pipes have _____ which provide little room for the workers to move about and gain any degree of comfort while performing their tasks.

- A. Nitrogen purge or dry air
- B. Collection places
- C. Generally restricted dimensions
- D. None of the above

131. _____ is another problem to which the worker is exposed when inside a pipe assembly.

- A. Electrical shock
- B. Ventilation ducts
- C. Welding fumes
- D. None of the above

132. The worker may suffer _____ caused by heat within the pipe run.

- A. Heat prostration
- B. Exposure to toxic gases
- C. Problems with the pumps
- D. None of the above

Ventilation Ducts

133. Ventilation ducts create a _____ which moves heated and cooled air and exhaust fumes to desired locations in the plant.

- A. Collection place
- B. Complex network
- C. Shortcut to other areas
- D. None of the above

134. Depending on where the ventilation ducts are located, _____.

- A. Nitrogen purge or dry air may be found
- B. Collection places could exist
- C. Oxygen deficiency could exist
- D. None of the above

135. Other problems associated with work inside ventilation ducts are electrical shock hazards and _____.

- A. Heat stress
- B. Water
- C. Welding fumes
- D. None of the above

Tanks

136. Tanks are _____ that are used for a variety of purposes, including the storage of water and chemicals.

- A. Nitrogen purge locations
- B. Collection places
- C. Another type of confined workspace
- D. None of the above

137. According to the text, oxygen-deficient atmospheres, along with toxic and explosive atmospheres created by the substances stored in the tanks, present hazards to workers.

- A. True
- B. False

138. Heat in tanks may cause _____, particularly on a hot day.

- A. Heat prostration
- B. Equipment failure
- C. Problems with pumps
- D. None of the above

139. The _____ often requires workers to climb ladders to reach high places on the walls of the tank.

- A. Electrical shock potential
- B. Ventilation duct
- C. Nature of the tank's structure
- D. None of the above

Sumps

140. Workers may encounter _____ when entering sumps.

- A. Nitrogen purge or dry air
- B. Problems with pumps
- C. An oxygen-deficient atmosphere
- D. None of the above

141. Because of the wet nature of the sump, the use of power tools inside may create _____ hazards.

- A. Electrical shock
- B. Inadequate lighting
- C. Slipping
- D. None of the above

Containment Cavities

142. Containment cavities are characterized by little or no air movement. Ventilation is always a problem, and the possibility of oxygen deficiency exists.

- A. True
- B. False

143. Welding and other gases may easily collect in containment cavities, creating _____.

- A. Toxic atmospheres
- B. Poor ventilation
- C. Confined workspaces
- D. None of the above

Electrical Transformers

144. Before electrical transformers are opened, they must be _____ by pumping in air.

- A. Nitrogen purged
- B. Collection places
- C. Well vented
- D. None of the above

145. Before entering a transformer, testing for _____ is mandatory.
- A. Welding fumes
 - B. Ventilation
 - C. Oxygen deficiency and for toxic atmospheres
 - D. None of the above

Heat Sinks

146. When inside the heat sink, workers are exposed to welding fumes and electrical hazards, particularly because water accumulates in the _____.

- A. Bottom of the sink
- B. Top of the sink
- C. Equipment
- D. None of the above

147. It is difficult to communicate with workers in the _____ because radio signals are deadened by the rebar in the walls of the structure.

- A. Pump station
- B. Heat sink
- C. Collection places
- D. None of the above

148. Heat sinks are larger pit areas that contain cooling water in the event there is a problem with the pumps located at the plant water supply that would prevent cooling water from reaching the nuclear reactor core.

- A. True
- B. False

Unusual Conditions

Confined Space within a Confined Space

149. One of the most hazardous confined spaces of all is a confined space within a confined space.

- A. True
- B. False

150. The _____ associated with the outer confined space and those of the inner confined space both require testing, monitoring, and control.

- A. Potential hazards
- B. Access passages
- C. Manholes
- D. None of the above

151. Often, only the outer space is evaluated for potential hazards. Workers are also faced with _____ when they enter the inner space.

- A. Poor lighting
- B. Excavations
- C. Potentially hazardous conditions
- D. None of the above

152. Workers entering a vessel inside an access pit should do so only after both spaces have been evaluated and _____.

- A. Purged
- B. Accessed
- C. Proper control measures established
- D. None of the above

Hazards in One Space Entering another Space

153. According to the text, during an examination of _____, situations are often encountered which are not always easy to evaluate or control.

- A. Tanks
- B. Excavations
- C. Confined spaces in construction
- D. None of the above

154. A room that classifies as a confined space may be relatively safe for work. However, access passages from other areas outside or adjacent to the room could, at some point, allow the transfer of _____ into the "safe" room.

- A. Hazardous agents
- B. Equipment and tools
- C. Unauthorized workers
- D. None of the above

155. Welding fumes and other _____ generated in one room may easily travel through a pipe into another area, causing that area to change from a safe to an unsafe workplace.
A. Toxic materials C. Noise
B. Construction debris D. None of the above

156. In a situation where hazards in one space may enter another, a serious problem is that workers working in the "safe" area are not aware of the _____.
A. Oxygen Level C. Hazards leaking into their area
B. Access passages D. None of the above

Permitted Confined Space Entry Program

157. Subpart P (of OSHA's Construction Regulations) applies to all _____ in the earth's surface.
A. Open excavations C. Pits
B. Vaults D. None of the above

158. According to the text, all trenches are _____.
A. Too narrow for work C. Safe for short-term work
B. Excavations D. None of the above

159. According to the text, all excavations are _____.
A. Permit-required C. Access passages
B. Not trenches D. None of the above

Permit Required Confined Space Entry General Rules

160. According to the text, only authorized and trained employees may enter a _____ or act as safety watchmen/attendants.
A. Hazard C. Confined space
B. Pipe D. None of the above

161. Employees are not permitted to smoke _____ or near the entrance/exit area.
A. Near air and oxygen monitors C. In a confined space
B. During a side entry D. None of the above

162. A watchmen or attendant must be present at all times during _____.
A. Confined space entries C. Air monitoring
B. Access passages D. None of the above

163. According to the text, constant visual or voice communication will be maintained between the safety watchmen and employees entering _____.
A. Inner spaces C. A confined space
B. Access passages D. None of the Above

164. According to the text, no _____ will be made or work conducted below the level of any hanging material or material that could cause engulfment.
A. Monitoring of entrant status C. Identification of authorized entrants
B. Bottom or side entry D. None of the above

165. _____ is required before workers are allowed to enter any permit-required confined space. Oxygen levels in the confined space must be between 19.5 and 23.5 percent.
- A. Air and oxygen monitoring C. Communication
 B. A supervisor D. None of the above
166. Air and oxygen monitoring will check the levels of oxygen, explosive gasses, and carbon monoxide. Entry will not be permitted if explosive gas is detected above one-half the _____.
- A. Nitrogen level C. Lower Explosive Limit (LEL)
 B. Argon level D. None of the above
167. When covers are removed, all _____ will be protected by a barricade to prevent injuries to others.
- A. Air and oxygen monitoring C. Openings to confined spaces
 B. Side entries D. None of the above

**Confined Space Duties and Responsibilities
 Employees**

168. Employees must not _____ that have not been evaluated for safety concerns.
- A. Follow program requirements C. Enter any confined spaces
 B. Report hazards D. None of the above

Management

169. Management must provide annual confined space training to all employees that may need it.
- A. True B. False
170. Management must annually review the confined space entry program and all entry permits.
- A. True B. False

Rescue or Training Department

171. The Rescue or Training Department must provide proper equipment for entry and rescue teams.
- A. True B. False

Entry Supervisor

172. Entry supervisors must coordinate all entry procedures, tests, _____, equipment, and other activities related to the permit space entry.
- A. Publicity C. Permits
 B. News media D. None of the above
173. Before endorsing the permit and allowing entry to begin, the _____ must check that all appropriate entries have been made on the permit, all tests specified by the permit have been conducted, and that all procedures and equipment specified by the permit are in place.
- A. Entry supervisor C. Unauthorized persons
 B. Attendant D. None of the above
174. The rescue workers must terminate the entry and cancel the permit when the entry is complete or there is a need for terminating the permit.
- A. True B. False
175. The entry supervisor must verify that rescue services are available and that the means for summoning them are operable.
- A. True B. False

Entry Attendants

176. A responsibility of the entry attendant is to know the hazards that may be faced during entry, including information on the mode, signs or symptoms, and consequences of the exposure.

- A. True B. False

177. A responsibility of the entry attendant is to be aware of _____ of hazard exposure on entrants.

- A. The attendants' primary duty C. Possible behavioral effects
B. Worker training D. None of the above

178. A responsibility of the entry attendant is to continuously maintain an accurate count of entrants in the permit space and ensure a means to _____.

- A. Timely complete the work C. Accurately identify authorized entrants
B. Add workers when needed D. None of the above

179. A responsibility of the entry attendant is to remain outside the permit space during entry operations until _____.

- A. Assistance is requested C. Relieved by another attendant
B. Safety equipment arrives D. None of the above

180. A responsibility of the entry attendant is to _____ as necessary to monitor entrant status and alert entrants of the need to evacuate.

- A. Communicate with entrants C. Check the work progress
B. Encourage entrants D. None of the above

181. A responsibility of the entry attendant is to monitor activities inside and outside the space to determine if it is safe for entrants to remain in the space, and order the entrants to immediately evacuate if the attendant detects a prohibited condition.

- A. True B. False

182. A responsibility of the entry attendant is to summon rescue and other emergency services as soon as the attendant _____ to escape the permit space hazards.

- A. Identifies entrant status C. Determines the entrants need assistance
B. Gets approval to summon rescue D. Accurately unauthorized entrants

183. A responsibility of the entry attendant is to perform non-entry rescues as specified by that rescue procedure and entry supervisor.

- A. True B. False

Duties of the Person Authorizing or in Charge of the Entry

Note: This section further explains the duties of the Entry Supervisor.

184. If the person who would otherwise issue an entry permit is in charge of the entry and present during the entire entry, a written permit is still required even if that person uses a checklist.

- A. True B. False

185. The person in charge of the entry may also serve as the Entrant at the site.

- A. True B. False

Special Considerations During A Permit Required Entry

186. Welding, drilling, or sludge removal work being performed in a permit entry confined space could cause the atmosphere in the space to change.

- A. True B. False

187. In situations such as welding, drilling, or sludge removal, continuous air monitoring of the confined space throughout the time of the entry is not required.

- A. True B. False

188. If the _____ leave the confined space for any significant period of time, the atmosphere of the confined space must be retested before the workers are allowed to reenter the confined space.

- A. Workers C. Unauthorized persons
B. Attendants D. None of the above

Unauthorized Persons

189. Actions must be taken when _____ approach or enter a permit space while entry is under way.

- A. Authorized workers C. Unauthorized persons
B. Rescue Workers D. None of the above

190. _____ must be warned to stay away from the permit space,

- A. Authorized workers C. Entrants
B. Unauthorized persons D. None of the above

191. If _____ have entered the space, they must be advised to exit immediately.

- A. Authorized workers C. Unauthorized persons
B. Entrants D. None of the above

Entrants

192. According to the text, all _____ must be authorized by the entry supervisor to enter permit spaces, have received the required training, have used the proper equipment, and observed the entry procedures and permit requirements

- A. Workers C. Unauthorized persons
B. Entrants D. None of the above

193. Entrants are required to know the _____ that may be faced during entry.

- A. Spaces C. Unauthorized persons
B. Hazards D. None of the above

194. Entrants must know information on the mode, signs or symptoms, and consequences of exposure.

- A. True B. False

195. Entrants are required to alert the attendant whenever the entrant recognizes any warning signs or symptoms of exposure to a dangerous situation, or whenever any prohibited condition is detected.

- A. True B. False

196. Entrants must exit the permit space as quickly as possible when given an order to evacuate by the attendant or entry supervisor.

- A. True B. False

Permit Required Confined Space Entry General Rules
Confined Space Entry Permits

197. According to the text, Confined Space Entry Permits must be completed before any employee _____.

- A. Begins work
- B. Leaves the permit space
- C. Enters a permit-required confined space
- D. None of the above

198. _____ will expire before the shift is completed or if any pre-entry conditions change.

- A. Air and oxygen monitoring
- B. Project schedules
- C. Confined Space Entry Permits
- D. None of the above

199. _____ will be maintained on file for 12 months.

- A. Air and oxygen monitoring data
- B. Project schedules
- C. Confined Space Entry Permits
- D. None of the above

Contractor Entry

200. According to the text, all work by _____ that involves the entry into confined spaces will follow the procedures of this program.

- A. Management
- B. Supervisors
- C. Non-company employees
- D. None of the above