

Registration form

**WATERBORNE DISEASES \$250.00
48 HOUR RUSH ORDER PROCESSING FEE ADDITIONAL \$50.00**

Start and Finish Dates: _____

You will have 90 days from this date in order to complete this course

List number of hours worked on assignment must match State Requirement. _____

Name _____ **Signature** _____

I have read and understood the disclaimer notice on page 2. Digitally sign XXX

Address _____

City _____ **State** _____ **Zip** _____

Email _____ **Fax (_____)** _____

Phone:
Home (_____) _____ **Work (_____)** _____

Operator ID # _____ **Exp. Date** _____

Class/Grade _____

Your certificate will be emailed to you in about two weeks.

Please circle/check which certification you are applying the course CEU's.

Water Treatment Water Distribution Other _____

Lab Analyst Wastewater Treatment

Technical Learning College PO Box 3060, Chino Valley, AZ 86323
Toll Free (866) 557-1746 Fax (928) 272-0747 e-mail info@tlch2o.com

If you've paid on the Internet, please write your Customer# _____

Please invoice me, my PO# _____

Please pay with your credit card on our website under Bookstore or Buy Now. Or call us and provide your credit card information.

We will stop mailing the certificate of completion so we need either your fax number or e-mail address. We will e-mail the certificate to you, if no e-mail address; we will fax it to you.

DISCLAIMER NOTICE

I understand that it is my responsibility to ensure that this CEU course is either approved or accepted in my State for CEU credit. I understand State laws and rules change on a frequent basis and I believe this course is currently accepted in my State for CEU or contact hour credit, if it is not, I will not hold Technical Learning College responsible. I fully understand that this type of study program deals with dangerous, changing conditions and various laws and that I will not hold Technical Learning College, Technical Learning Consultants, Inc. (TLC) liable in any fashion for any errors, omissions, advice, suggestions or neglect contained in this CEU education training course or for any violation or injury, death, neglect, damage or loss of your license or certification caused in any fashion by this CEU education training or course material suggestion or error or my lack of submitting paperwork. It is my responsibility to call or contact TLC if I need help or assistance and double-check to ensure my registration page and assignment has been received and graded. It is my responsibility to ensure all information is correct and to abide with all rules and regulations.

Professional Engineers; Most states will accept our courses for credit but we do not officially list the States or Agencies. Please check your State for approval.

You can obtain a printed version of the course manual from TLC for an additional \$79.95 plus shipping charges.

AFFIDAVIT OF EXAM COMPLETION

I affirm that I personally completed the entire text of the course. I also affirm that I completed the exam without assistance from any outside source. I understand that it is my responsibility to file or maintain my certificate of completion as required by the state or by the designation organization.

Grading Information

In order to maintain the integrity of our courses we do not distribute test scores, percentages or questions missed. Our exams are based upon pass/fail criteria with the benchmark for successful completion set at 70%. Once you pass the exam, your record will reflect a successful completion and a certificate will be issued to you.

For security purposes, please fax or e-mail a copy of your driver's license and always call us to confirm we've received your assignment and to confirm your identity.

Thank you...

Do not solely depend on TLC's Approval list for it may be outdated.

A second certificate of completion for a second State Agency \$50 processing fee.

Some States and many employers require the final exam to be proctored.

<http://www.abctlc.com/downloads/PDF/PROCTORFORM.pdf>

All downloads are electronically tracked and monitored for security purposes.

For Texas TCEQ Wastewater Licensed Operators Important Information

Wastewater/Collections Rule Changes (Texas Only)

Rule Changes and Updates for Domestic Wastewater Systems

On Nov. 4, 2014, TCEQ commissioners adopted revisions to 30 Texas Administrative Code (TAC), Chapter 217, Design Criteria for Domestic Wastewater Systems, and “re-adopted” previously repealed rules in 30 TAC, Chapter 317, Design Criteria Prior to 2008.

Some of the changes to Chapter 217 include:

- Adding new definitions and clarifying existing definitions;
- Adding design criteria and approval requirements for rehabilitation of existing infrastructure;
- Adding design criteria for new technologies, including cloth filters and air lift pumps;
- Making changes to reflect modern practices, standards and trends;
- Modifying rule language to improve readability and enforceability; and
- Modifying the design organic loadings and flows for a new wastewater treatment facility.

SUBCHAPTER A: ADMINISTRATIVE REQUIREMENTS §§217.1 - 217.18

Effective December 4, 2015 §217.1. Applicability. (a) Applicability. (1) This chapter applies to the design, operation, and maintenance of: (A) domestic wastewater treatment facilities that are constructed with plans and specifications received and approved by the executive director after the effective date of the amendments to this chapter; (B) treatment units that are altered, constructed, or re-rated with plans and specifications received and approved by the executive director after the effective date of the amendments to this chapter; (C) collection systems that are constructed with plans and specifications received and approved by the executive director after the effective date of the amendments to this chapter; (D) collection system units that are altered, constructed, or re-rated with plans and specifications received and approved by the executive director after the effective date of the amendments to this chapter; (E) existing domestic wastewater treatment facilities that do not have a current Texas Pollutant Discharge Elimination System permit or a Texas Land Application Permit and are required to have an active wastewater permit; (F) existing wastewater treatment facilities and collection systems that never received approval for plans and specifications from the executive director; and (G) collection system rehabilitation projects covered in §217.56(c) and §217.69 of this title (relating to Trenchless Pipe Installation; and Maintenance, Inspection, and Rehabilitation of the Collection System). (2) Domestic wastewater treatment facilities, treatment units, collection systems, and collection system units with plans and specifications approved by the executive director that were received on or after August 28, 2008 and before the effective date of this chapter must comply with the rules in this chapter, as they existed immediately before the effective date of the amendments to this chapter.

The rules in Texas Commission on Environmental Quality Page 2 Chapter 217 - Design Criteria for Domestic Wastewater Systems effect immediately before the effective date of the amendments to this chapter are continued in effect for that purpose. (3) This chapter does not apply to: (A) the design, installation, operation, or maintenance of domestic wastewater treatment facilities, treatment units, collection systems, or collection system units with plans and specifications that were approved by the executive director on or before August 27, 2008, which

are governed by Chapter 317 of this title (relating to Design Criteria Prior to 2008) or design criteria that preceded Chapter 317 of this title; and (B) systems regulated by Chapter 285 of this title (relating to On-Site Sewage Facilities); or collection systems or wastewater treatment facilities that collect, transport, treat, or dispose of wastewater that does not have the characteristics of domestic wastewater, although the wastewater may contain domestic wastewater.

(b) The executive director may grant variances from new requirements added by the amendments of this chapter to a person who proposes to construct, alter, or re-rate a collection system or wastewater treatment facility if the plans and specifications for the project are submitted within 180 days after the date the amendments to this chapter are effective, provided the plans and specifications comply with the rules in effect immediately prior to the amendment. Adopted November 4, 2015 Effective December 4, 2015

The link to the rules is available on the TCEQ website at <https://www.tceq.texas.gov/rules/indxpdf.html>

For Texas Students Only....

Please sign and date this notice

Printed Name

Signature

Date

Texas Students Only
Acknowledgement of Notice of Potential Ineligibility for License
You are required to sign and return to TLC or your credit will not be reported.

Name: _____

Date of Birth: _____

Email Address: _____

By signing this form, I acknowledge that Technical Learning College notified me of the following:

- the potential ineligibility of an individual who has been convicted of an offense to be issued an occupational license by the Texas Commission on Environmental Quality (TCEQ) upon completion of the educational program;
- the current TCEQ Criminal Conviction Guidelines for Occupational Licensing, which describes the process by which the TCEQ's Executive Director determines whether a criminal conviction:
 - renders a prospective applicant an unsuitable candidate for an occupational license;
 - warrants the denial of a renewal application for an existing license; or
 - warrants revocation or suspension of a license previously granted.
- the right to request a criminal history evaluation from the TCEQ under Texas Occupations Code Section 53.102; and
- that the TCEQ may consider an individual to have been convicted of an offense for the purpose of denying, suspending or revoking a license under circumstances described in Title 30 Texas Administrative Code Section 30.33.

Enrollee Signature: _____ Date: _____

Name of Training Provider/Organization: Technical Learning College

Contact Person: Melissa Durbin Role/Title: Dean

Waterborne Diseases Answer Key

Name _____

Phone _____

You are solely responsible in ensuring that this course is accepted for credit by your State. No refunds. Did you check with your State agency to ensure this course is accepted for credit?

Method of Course acceptance confirmation. Please fill this section

Do not solely depend on TLC's Approval list for it may be outdated.

Website ___ Telephone Call ___ Email ___ Spoke to _____

Do not solely depend on TLC's Approval list for it may be outdated.

What is the course approval number, if applicable? _____

You can use Adobe Acrobat DC Program to complete the assignment.

Please Circle, Bold, Underline or X, one answer per question.

1. A B C D E F
2. A B C D E F
3. A B C D E F
4. A B C D E F
5. A B C D E F
6. A B C D E F
7. A B C D E F
8. A B C D E F
9. A B C D E F
10. A B C D E F
11. A B C D E F
12. A B C D E F
13. A B C D E F
14. A B C D E F
15. A B C D E F
16. A B C D E F
17. A B C D E F
18. A B C D E F
19. A B C D E F

20. A B C D E F
21. A B C D E F
22. A B C D E F
23. A B C D E F
24. A B C D E F
25. A B C D E F
26. A B C D E F
27. A B C D E F
28. A B C D E F
29. A B C D E F
30. A B C D E F
31. A B C D E F
32. A B C D E F
33. A B C D E F
34. A B C D E F
35. A B C D E F
36. A B C D E F
37. A B C D E F
38. A B C D E F

39. A B C D E F
40. A B C D E F
41. A B C D E F
42. A B C D E F
43. A B C D E F
44. A B C D E F
45. A B C D E F
46. A B C D E F
47. A B C D E F
48. A B C D E F
49. A B C D E F
50. A B C D E F
51. A B C D E F
52. A B C D E F
53. A B C D E F
54. A B C D E F
55. A B C D E F
56. A B C D E F
57. A B C D E F

58. ABCDEF
59. ABCDEF
60. ABCDEF
61. ABCDEF
62. ABCDEF
63. ABCDEF
64. ABCDEF
65. ABCDEF
66. ABCDEF
67. ABCDEF
68. ABCDEF
69. ABCDEF
70. ABCDEF
71. ABCDEF
72. ABCDEF
73. ABCDEF
74. ABCDEF
75. ABCDEF
76. ABCDEF
77. ABCDEF
78. ABCDEF
79. ABCDEF
80. ABCDEF
81. ABCDEF
82. ABCDEF
83. ABCDEF
84. ABCDEF
85. ABCDEF
86. ABCDEF
87. ABCDEF
88. ABCDEF
89. ABCDEF
90. ABCDEF
91. ABCDEF
92. ABCDEF
93. ABCDEF
94. ABCDEF
95. ABCDEF

96. ABCDEF
97. ABCDEF
98. ABCDEF
99. ABCDEF
100. ABCDEF
101. ABCDEF
102. ABCDEF
103. ABCDEF
104. ABCDEF
105. ABCDEF
106. ABCDEF
107. ABCDEF
108. ABCDEF
109. ABCDEF
110. ABCDEF
111. ABCDEF
112. ABCDEF
113. ABCDEF
114. ABCDEF
115. ABCDEF
116. ABCDEF
117. ABCDEF
118. ABCDEF
119. ABCDEF
120. ABCDEF
121. ABCDEF
122. ABCDEF
123. ABCDEF
124. ABCDEF
125. ABCDEF
126. ABCDEF
127. ABCDEF
128. ABCDEF
129. ABCDEF
130. ABCDEF
131. ABCDEF
132. ABCDEF
133. ABCDEF

134. ABCDEF
135. ABCDEF
136. ABCDEF
137. ABCDEF
138. ABCDEF
139. ABCDEF
140. ABCDEF
141. ABCDEF
142. ABCDEF
143. ABCDEF
144. ABCDEF
145. ABCDEF
146. ABCDEF
147. ABCDEF
148. ABCDEF
149. ABCDEF
150. ABCDEF
151. ABCDEF
152. ABCDEF
153. ABCDEF
154. ABCDEF
155. ABCDEF
156. ABCDEF
157. ABCDEF
158. ABCDEF
159. ABCDEF
160. ABCDEF
161. ABCDEF
162. ABCDEF
163. ABCDEF
164. ABCDEF
165. ABCDEF
166. ABCDEF
167. ABCDEF
168. ABCDEF
169. ABCDEF
170. ABCDEF
171. ABCDEF

172. ABCDEF
173. ABCDEF
174. ABCDEF
175. ABCDEF
176. ABCDEF
177. ABCDEF
178. ABCDEF
179. ABCDEF
180. ABCDEF
181. ABCDEF
182. ABCDEF
183. ABCDEF
184. ABCDEF
185. ABCDEF
186. ABCDEF
187. ABCDEF
188. ABCDEF
189. ABCDEF
190. ABCDEF
191. ABCDEF
192. ABCDEF
193. ABCDEF
194. ABCDEF
195. ABCDEF
196. ABCDEF
197. ABCDEF
198. ABCDEF
199. ABCDEF
200. ABCDEF
201. ABCDEF
202. ABCDEF
203. ABCDEF
204. ABCDEF
205. ABCDEF
206. ABCDEF
207. ABCDEF
208. ABCDEF
209. ABCDEF
210. ABCDEF
211. ABCDEF
212. ABCDEF
213. ABCDEF
214. ABCDEF
215. ABCDEF
216. ABCDEF
217. ABCDEF
218. ABCDEF
219. ABCDEF
220. ABCDEF
221. ABCDEF
222. ABCDEF
223. ABCDEF
224. ABCDEF
225. ABCDEF
226. ABCDEF
227. ABCDEF
228. ABCDEF
229. ABCDEF
230. ABCDEF
231. ABCDEF
232. ABCDEF
233. ABCDEF
234. ABCDEF
235. ABCDEF
236. ABCDEF
237. ABCDEF
238. ABCDEF
239. ABCDEF
240. ABCDEF
241. ABCDEF
242. ABCDEF
243. ABCDEF
244. ABCDEF
245. ABCDEF
246. ABCDEF
247. ABCDEF
248. ABCDEF
249. ABCDEF
250. ABCDEF
251. ABCDEF
252. ABCDEF
253. ABCDEF
254. ABCDEF
255. ABCDEF
256. ABCDEF
257. ABCDEF
258. ABCDEF
259. ABCDEF
260. ABCDEF
261. ABCDEF
262. ABCDEF
263. ABCDEF
264. ABCDEF
265. ABCDEF
266. ABCDEF
267. ABCDEF
268. ABCDEF
269. ABCDEF
270. ABCDEF
271. ABCDEF
272. ABCDEF
273. ABCDEF
274. ABCDEF
275. ABCDEF
276. ABCDEF
277. ABCDEF
278. ABCDEF
279. ABCDEF
280. ABCDEF
281. ABCDEF
282. ABCDEF
283. ABCDEF
284. ABCDEF
285. ABCDEF

286. A B C D E F
287. A B C D E F
288. A B C D E F
289. A B C D E F
290. A B C D E F
291. A B C D E F
292. A B C D E F
293. A B C D E F
294. A B C D E F
295. A B C D E F
296. A B C D E F
297. A B C D E F
298. A B C D E F
299. A B C D E F
300. A B C D E F
301. A B C D E F
302. A B C D E F
303. A B C D E F
304. A B C D E F
305. A B C D E F
306. A B C D E F
307. A B C D E F
308. A B C D E F
309. A B C D E F
310. A B C D E F
311. A B C D E F
312. A B C D E F
313. A B C D E F
314. A B C D E F
315. A B C D E F
316. A B C D E F
317. A B C D E F
318. A B C D E F
319. A B C D E F
320. A B C D E F
321. A B C D E F
322. A B C D E F
323. A B C D E F
324. A B C D E F
325. A B C D E F
326. A B C D E F
327. A B C D E F
328. A B C D E F
329. A B C D E F
330. A B C D E F
331. A B C D E F
332. A B C D E F
333. A B C D E F
334. A B C D E F
335. A B C D E F
336. A B C D E F
337. A B C D E F
338. A B C D E F
339. A B C D E F
340. A B C D E F
341. A B C D E F
342. A B C D E F
343. A B C D E F
344. A B C D E F
345. A B C D E F
346. A B C D E F
347. A B C D E F
348. A B C D E F
349. A B C D E F
350. A B C D E F
351. A B C D E F
352. A B C D E F
353. A B C D E F
354. A B C D E F
355. A B C D E F
356. A B C D E F
357. A B C D E F
358. A B C D E F
359. A B C D E F
360. A B C D E F
361. A B C D E F
362. A B C D E F
363. A B C D E F
364. A B C D E F
365. A B C D E F
366. A B C D E F
367. A B C D E F
368. A B C D E F
369. A B C D E F
370. A B C D E F
371. A B C D E F
372. A B C D E F
373. A B C D E F
374. A B C D E F
375. A B C D E F
376. A B C D E F
377. A B C D E F
378. A B C D E F
379. A B C D E F
380. A B C D E F
381. A B C D E F
382. A B C D E F
383. A B C D E F
384. A B C D E F
385. A B C D E F
386. A B C D E F
387. A B C D E F
388. A B C D E F
389. A B C D E F
390. A B C D E F
391. A B C D E F
392. A B C D E F
393. A B C D E F
394. A B C D E F
395. A B C D E F
396. A B C D E F
397. A B C D E F
398. A B C D E F
399. A B C D E F

400. A B C D E F
401. A B C D E F
402. A B C D E F
403. A B C D E F
404. A B C D E F
405. A B C D E F
406. A B C D E F
407. A B C D E F
408. A B C D E F
409. A B C D E F
410. A B C D E F
411. A B C D E F
412. A B C D E F
413. A B C D E F
414. A B C D E F
415. A B C D E F
416. A B C D E F
417. A B C D E F
418. A B C D E F
419. A B C D E F
420. A B C D E F
421. A B C D E F
422. A B C D E F
423. A B C D E F
424. A B C D E F
425. A B C D E F
426. A B C D E F
427. A B C D E F
428. A B C D E F
429. A B C D E F
430. A B C D E F
431. A B C D E F
432. A B C D E F
433. A B C D E F
434. A B C D E F
435. A B C D E F
436. A B C D E F
437. A B C D E F
438. A B C D E F
439. A B C D E F
440. A B C D E F
441. A B C D E F
442. A B C D E F
443. A B C D E F
444. A B C D E F
445. A B C D E F
446. A B C D E F
447. A B C D E F
448. A B C D E F
449. A B C D E F
450. A B C D E F
451. A B C D E F
452. A B C D E F
453. A B C D E F
454. A B C D E F
455. A B C D E F
456. A B C D E F
457. A B C D E F
458. A B C D E F
459. A B C D E F
460. A B C D E F
461. A B C D E F
462. A B C D E F
463. A B C D E F
464. A B C D E F
465. A B C D E F
466. A B C D E F
467. A B C D E F
468. A B C D E F
469. A B C D E F
470. A B C D E F
471. A B C D E F
472. A B C D E F
473. A B C D E F
474. A B C D E F
475. A B C D E F
476. A B C D E F
477. A B C D E F
478. A B C D E F
479. A B C D E F
480. A B C D E F
481. A B C D E F
482. A B C D E F
483. A B C D E F
484. A B C D E F
485. A B C D E F
486. A B C D E F
487. A B C D E F
488. A B C D E F
489. A B C D E F
490. A B C D E F
491. A B C D E F
492. A B C D E F
493. A B C D E F
494. A B C D E F
495. A B C D E F
496. A B C D E F
497. A B C D E F
498. A B C D E F
499. A B C D E F
500. A B C D E F

This course contains general EPA's SDWA federal rule requirements. Please be aware that each state implements water / sampling procedures/safety/ environmental / building regulations that may be more stringent than EPA's regulations. Check with your state environmental/health agency for more information. These rules change frequently and are often difficult to interpret and follow. Be careful to not be in non-compliance and do not follow this course for proper compliance.

Please fax the answer key to
TLC Western Campus

Fax (928) 272-0747

Always call us after faxing the paperwork to ensure that we've received it.

Please e-mail or fax this survey along with your final exam

**WATERBORNE DISEASES CEU COURSE
CUSTOMER SERVICE RESPONSE CARD**

NAME: _____

E-MAIL _____ PHONE _____

PLEASE COMPLETE THIS FORM BY CIRCLING THE NUMBER OF THE APPROPRIATE ANSWER IN THE AREA BELOW.

1. Please rate the difficulty of your course.
Very Easy 0 1 2 3 4 5 Very Difficult
2. Please rate the difficulty of the testing process.
Very Easy 0 1 2 3 4 5 Very Difficult
3. Please rate the subject matter on the exam to your actual field or work.
Very Similar 0 1 2 3 4 5 Very Different

4. How did you hear about this Course? _____

5. What would you do to improve the Course?

How about the price of the course?

Poor _____ Fair _____ Average _____ Good _____ Great _____

How was your customer service?

Poor _____ Fair _____ Average _____ Good _____ Great _____

Any other concerns or comments.

Please fax or e-mail the answer key to TLC
Western Campus Fax (928) 272-0747.

Rush Grading Service

If you need this assignment graded and the results mailed to you within a 48-hour period, prepare to pay an additional rush service handling fee of \$50.00. This fee may not cover postage costs. If you need this service, simply write RUSH on the top of your Registration Form. We will place you in the front of the grading and processing line.

For security purposes, please fax or e-mail a copy of your driver's license and always call us to confirm we've received your assignment and to confirm your identity.

Grading Information

In order to maintain the integrity of our courses we do not distribute test scores, percentages or questions missed. Our exams are based upon pass/fail criteria with the benchmark for successful completion set at 70%. Once you pass the exam, your record will reflect a successful completion and a certificate will be issued to you.

WATERBORNE DISEASES CEU Training Course Assignment

The Assignment (Exam) is also available in Word on the Internet for your Convenience, please visit www.ABCTLIC.com and download the assignment and e-mail it back to TLC.

You will have 90 days from the start of this course to complete in order to receive your Professional Development Hours (PDHs) or Continuing Education Unit (CEU). A score of 70 % is necessary to pass this course. We prefer if this exam is proctored. No intentional trick questions. If you should need any assistance, please email all concerns and the completed manual to info@tlch2o.com.

We would prefer that you utilize the enclosed answer sheet in the front, but if you are unable to do so, type out your own answer key. Please include your name and address on your Answer Key and make copy for yourself. You can e-mail or fax your Answer Key along with the Registration Form to TLC. **(S) Means answer may be plural or singular. Multiple Choice Section, One answer per question and please use the answer key.**

Waterborne Disease CEU Course Introduction

1. Pathogens are bacteria, viruses, and protozoans that cause disease.
A. True B. False
2. Pathogens _____ and affect people in a relatively short amount of time.
A. Limits the treatment process D. Will cause fatalities
B. Are mild in nature E. Limit the travel of pathogens
C. Cause intestinal illness F. None of the Above
3. The _____ is the way waterborne pathogens are primarily spread.
A. Fecal-oral, or feces-to-mouth, route D. Influenza route
B. Dermal to fecal route E. Waterborne mishaps
C. Oral to fecal route F. None of the Above
4. A source of waterborne pathogens is the stool of infected humans or animals. The stool contains the disease-causing bacteria, viruses, and _____.
A. Fecal Coliform and E coli D. Cryptosporidiosis
B. Protozoa E. Bioslime
C. Microorganisms F. None of the Above
5. Another person must take the waterborne pathogen in through the mouth to become infected.
A. True B. False
6. _____ are different from the pathogens that cause influenza or the bacteria that cause tuberculosis.
A. Fecal Coliform and E coli D. Waterborne Pathogens
B. Giardia lamblia E. Coliform bacteria
C. Microorganisms F. None of the Above

7. _____ are spread through the air when an infected person coughs or sneezes.
- | | |
|------------------------------|----------------------------------------------|
| A. Fecal Coliform and E coli | D. Influenza virus and tuberculosis bacteria |
| B. Giardia lamblia | E. Coliform bacteria |
| C. Microorganisms | F. None of the Above |

Chain of Transmission

8. If the source of feces in water is not infected with a _____, no disease will result.
- | | |
|-----------------------|------------------------|
| A. Campylobacteriosis | D. Fecal-oral material |
| B. Pathogen | E. Contaminated water |
| C. Waterborne illness | F. None of the Above |
9. How long pathogens survive in the water depends on the water temperature and the length of time the _____ are in the water.
- | | |
|--------------------------|----------------------|
| A. Stomach bugs | D. Germs |
| B. Turbidity | E. Pathogens |
| C. Microscopic particles | F. None of the Above |
10. Giardia and _____ are pathogens that may survive in water for months.
- | | |
|--------------------|-----------------------|
| A. Illness | D. Campylobacteriosis |
| B. Cryptosporidium | E. Tampylobacteriosis |
| C. Bacteria | F. None of the Above |
11. For disease to spread, the pathogens must enter the water system's intake, be inadequately treated, and the water must be consumed by a susceptible person.
- A. True B. False

Bacterial Diseases

12. What is the most common diarrhea illness caused by bacteria?
- | | |
|----------------|-----------------------|
| A. Pathogen | D. Campylobacteriosis |
| B. Yersiniosis | E. Incubation period |
| C. Hepatitis A | F. None of the Above |
13. _____ has most often been associated with food and un-chlorinated water.
- | | |
|----------------|-----------------------|
| A. Pathogen | D. Campylobacteriosis |
| B. Yersiniosis | E. Beaver fever |
| C. Hepatitis A | F. None of the Above |
14. _____ can also cause "travelers' diarrhea."
- | | |
|--------------------|----------------------------|
| A. Illness | D. Campylobacteriosis |
| B. Cryptosporidium | E. Transmission of disease |
| C. Bacteria | F. None of the Above |
15. Other diseases caused by bacteria in water are cholera, Legionellosis, salmonellosis, _____, and yersiniosis.
- | | |
|----------------|-----------------------|
| A. Shigellosis | D. Campylobacteriosis |
| B. Cysts | E. HIV |
| C. Hepatitis A | F. None of the Above |

16. Chlorine kills or inactivates _____ in water.
- | | |
|------------------|----------------------|
| A. Cysts | D. Viral Plaques |
| B. Cryptogiardia | E. Oocysts |
| C. Bacteria | F. None of the Above |

Viral Diseases or Viruses

17. _____ is a viral disease that may be spread through water.
- | | |
|----------------|-----------------------|
| A. Pathogen | D. Campylobacteriosis |
| B. Yersiniosis | E. Incubation period |
| C. Hepatitis A | F. None of the Above |
18. Chlorine inactivates most _____ in drinking water.
- | | |
|---------------|----------------------|
| A. Illnesses | D. Pathogens |
| B. Giardiasis | E. Infections |
| C. Viruses | F. None of the Above |

The Main Players - History and Biology - Chapter 1

Circumstances under which Koch's postulates do not easily apply

19. An opportunistic pathogen has to invade a susceptible host for certain _____ to develop.
- | | |
|--------------|----------------------|
| A. Diseases | D. Divide |
| B. Mutations | E. Reproduction |
| C. Carriers | F. None of the Above |
20. Many _____, such as scurvy and rickets, are caused by dietary deficiencies.
- | | |
|--------------|----------------------|
| A. Diseases | D. Pathogens |
| B. Mutations | E. Microorganisms |
| C. Carriers | F. None of the Above |
21. Some _____ are very difficult to grow in the laboratory.
- | | |
|--------------|----------------------|
| A. Diseases | D. Pathogens |
| B. Mutations | E. Microbes |
| C. Carriers | F. None of the Above |
22. Cultures of human or animal cells can now be used to grow some of the fastidious organisms.
- A. True B. False
23. All _____ do not affect all laboratory animals.
- | | |
|-----------------------|-----------------------|
| A. Pathogens | D. Disease |
| B. Secondary invaders | E. Chemical reactions |
| C. Microorganisms | F. None of the Above |
24. _____ may cause diseases such as cancer of the lungs and skin.
- | | |
|--------------------------|-----------------------|
| A. Environmental factors | D. Disease |
| B. Secondary invaders | E. Chemical reactions |
| C. Microorganisms | F. None of the Above |

Metabolism

25. A cell's _____ includes all the chemical reactions by which food is transformed for use by the cell.
- A. Fastidious
 - B. Metabolism
 - C. Chemical reactions
 - D. Germ theory of disease
 - E. Osmosis
 - F. None of the Above
26. A cell can respond to changes in its environment through its metabolism.
- A. True
 - B. False

Introduction to Bacteria

27. Bacteria are prokaryotes, and thus have no true nucleus.
- A. True
 - B. False
28. The _____ that some bacteria need to do photosynthesis is built into their cell membranes.
- A. Chlorophyll
 - B. Organelle
 - C. Cellulose
 - D. Double-stranded DNA
 - E. Bacilli
 - F. None of the Above
29. Bacteria have only one _____.
- A. Chloroplast
 - B. Organelle
 - C. Cellulose
 - D. Double-stranded DNA
 - E. Cell
 - F. None of the Above
30. There are some bacteria that can live in temperatures above the boiling point.
- A. True
 - B. False

Prokaryotes

31. The only prokaryotes are bacteria and archaea. All other life forms have cells with nuclei and are called _____.
- A. Bacteria
 - B. Peptidoglycan
 - C. Bacilli
 - D. Eukaryotes
 - E. Microorganism
 - F. None of the Above

Early Origins

32. Bacilli bacteria are rod or stick-shaped. Cocci bacteria are shaped like little balls.
- A. True
 - B. False
33. Some bacterial cells cluster together to form _____.
- A. An organism
 - B. An organelle
 - C. Cellulose
 - D. Pairs, chains, squares or other groupings
 - E. Helical or spiral in shape
 - F. None of the Above
34. The mitochondria are _____ that make energy for your body cells.
- A. Chloroplasts
 - B. Organelles
 - C. Cellulose
 - D. Bacilli
 - E. Eukaryotes
 - F. None of the Above

35. There can be more than a billion (1,000,000,000) bacteria in a single teaspoon of topsoil.
A. True B. False

Peptidoglycan

36. Bacterial cell walls do not contain cellulose, but are made mostly of _____.
A. Capsule D. Membrane/cytoplasmic membrane
B. Peptidoglycan E. True nucleus
C. Cytoplasmic granules F. None of the Above
37. Some antibiotics, like penicillin, stop bacteria from making _____, which keeps the bacteria from growing.
A. Disease(s) D. Peptidoglycan
B. Mutation(s) E. Bacteria
C. Carriers F. None of the Above
38. If a person stops taking an antibiotic too soon, any living bacteria left could start growing and reproducing by making _____.
A. Bacteria D. Germ theory of disease
B. Peptidoglycan E. Microorganism
C. Eukaryotes F. None of the Above

Gram Stain

39. The two types of _____ have different amounts of peptidoglycan.
A. Bacteria D. Bacterial cell walls
B. Peptidoglycan E. Gram stain
C. Gram⁺ or Gram⁻ F. None of the Above
40. In the Gram process, the amount of peptidoglycan in the cell walls of the bacteria under study will determine their color when stained, thus identifying the bacterial cells as Gram⁺ or Gram⁻.
A. True B. False
41. Which type of bacteria stain a dark purple color because they have simpler cell walls with lots of peptidoglycan?
A. Aerobic D. Gram⁺
B. Positive E. Gram⁻
C. Gram⁺ or Gram⁻ F. None of the Above
42. Which type of bacteria stain a pinkish color because they have more complex cell walls with less peptidoglycan?
A. Positive D. Gram⁺
B. Fastidious E. Gram⁻
C. Gram⁺ or Gram⁻ F. None of the Above
43. Which type of bacteria often has toxic chemicals in their cell walls, and thus tend to cause more severe illness?
A. Positive D. Gram⁺
B. Fastidious E. Gram⁻
C. Gram⁺ or Gram⁻ F. None of the Above

44. Antibiotics are less effective against _____ bacteria, since these bacteria have less peptidoglycan in their cell walls.
- | | |
|-------------------------------------------|----------------------|
| A. Positive | D. Gram ⁺ |
| B. Fastidious | E. Gram ⁻ |
| C. Gram ⁺ or Gram ⁻ | F. None of the Above |
45. *Pseudomonas aeruginosa* is a _____ bacterium.
- | | |
|-------------------------------------------|----------------------|
| A. Positive | D. Gram ⁺ |
| B. Fastidious | E. Gram-negative |
| C. Gram ⁺ or Gram ⁻ | F. None of the Above |
46. The Gram-stain appearance of *pseudomonas aeruginosa* is not particularly characteristic although rods are thinner than those of _____.
- | | |
|--------------------------|----------------------|
| A. Coliform bacteria | D. HPC |
| B. Enteric-like bacteria | E. CFU |
| C. Standard plate count | F. None of the Above |

Two types of cells - Prokaryotes and Eukaryotes

Note: The text uses the alternate spellings "Procaryotes and Eucaryotes" here.

47. A _____ doesn't have a complex system of membranes and organelles.
- | | |
|--------------------------|----------------------|
| A. Prokaryotic cell | D. HPC |
| B. Enteric-like bacteria | E. CFU |
| C. Eukaryotic cell | F. None of the Above |
48. A _____ has a complex structure, contains a true nucleus, and many organelles.
- | | |
|---------------------|----------------------|
| A. Eukaryotic cell | D. Protozoan |
| B. Vesicles | E. Paramecium |
| C. Prokaryotic cell | F. None of the Above |

Structure of a Eukaryotic Cell

49. The cell membrane of a eukaryotic cell is composed of large molecules of proteins and _____.
- | | |
|-------------------------|----------------------|
| A. Capsule | D. Phospholipids |
| B. Cell wall | E. True nucleus |
| C. Cytoplasmic granules | F. None of the Above |
50. The _____ of a eukaryotic cell is selectively permeable.
- | | |
|-------------------------|-----------------------------------|
| A. Cytoplasmic granules | D. A single circular DNA molecule |
| B. Cell membrane | E. DNA and proteins |
| C. Cell wall | F. None of the Above |

Nucleus

51. The _____ contains chromosomes that are characteristic of each species.
- | | |
|------------------|-----------------------------------------|
| A. Chromosomes | D. Macromolecular polymer-peptidoglycan |
| B. Nucleus | E. Cytoplasmic organelles |
| C. Cell membrane | F. None of the Above |

52. Each chromosome consists of many genes. A gene is a coiled unit made up of cytoplasmic granules.
A. True B. False

Cytoplasm

53. One of the cytoplasmic organelles found in cytoplasm is called _____,
A. Chromosomes D. Centrioles
B. Prokaryotes E. Cytoplasmic organelles
C. Cell membrane F. None of the Above

Cell Wall

54. An external structure of plant cells, algae, and fungi is a _____.
A. Cytoplasmic granules D. A single circular DNA molecule
B. Cilia E. DNA and proteins
C. Cell wall F. None of the Above

Cilia and Flagella

55. Some _____ cells have long and thin structures called flagella.
A. Eukaryotic D. Protozoan
B. Vesicles E. Paramecium
C. Prokaryotic F. None of the Above
56. Flagella and _____ are organs of locomotion for eukaryotic cells.
A. Cytoplasmic granules D. Flagella
B. Cilia E. Hair
C. A cell wall F. None of the Above

Structure of a Prokaryotic Cell

57. All bacteria are prokaryotes and they divide by binary fission.
A. True B. False

Chromosome

58. The chromosome of a prokaryotic cell serves as the control center of the bacterial cell. The chromosome usually consists of _____.
A. Cytoplasmic granules D. A single circular DNA molecule
B. Cilia E. DNA and proteins
C. A cell wall F. None of the Above
59. A bacterial chromosome contains about 10,000 genes.
A. True B. False

Cytoplasm

60. _____ is a semi-liquid that surrounds the chromosome of a prokaryotic cell and is contained within the plasma membrane.
A. Chromosomes D. Macromolecular polymer-peptidoglycan
B. Cytoplasm E. Cytoplasmic organelles
C. Cell membrane F. None of the Above

Cell Membrane

61. The cell membrane of a prokaryotic cell is similar to that of the _____.
- A. Chromosomes
 - B. Prokaryotes
 - C. Eukaryotic cell
 - D. Macromolecular polymer-peptidoglycan
 - E. Cytoplasmic organelles
 - F. None of the Above
62. The _____ is very thin and controls the substances entering or leaving the cell.
- A. Chromosomes
 - B. Prokaryotes
 - C. Prokaryotic cell membrane
 - D. Macromolecular polymer-peptidoglycan
 - E. Cytoplasmic organelles
 - F. None of the Above

Capsules

63. A highly organized layer of material outside the cell wall of some bacteria is called a _____.
- A. Capsule
 - B. Cell wall
 - C. Cytoplasmic granules
 - D. DNA and proteins
 - E. True nucleus
 - F. None of the Above
64. A layer of material outside the cell wall of some bacteria that is not highly organized and not firmly attached to the cell wall is called a _____.
- A. Capsule
 - B. Cell wall
 - C. Slime layer
 - D. DNA and proteins
 - E. True nucleus
 - F. None of the Above
65. _____ consist of complex sugars combined with lipids and proteins.
- A. Cytoplasmic granules
 - B. Cilia
 - C. A cell wall
 - D. Capsules
 - E. DNA and proteins
 - F. None of the Above

Flagella

66. Flagella are _____ that bacteria use to move.
- A. Cytoplasmic granules
 - B. Cilia
 - C. Thread-like proteins
 - D. False feet
 - E. Hair
 - F. None of the Above
67. _____ are called motile while non-flagellated bacteria are called non-motile.
- A. Bacteria
 - B. Peptidoglycan
 - C. Gram⁺ or Gram⁻
 - D. Flagellated bacteria
 - E. Microorganism
 - F. None of the Above
68. Peritrichous bacteria have _____.
- A. One flagellum at each end
 - B. Tuft of flagella
 - C. The entire surface
 - D. Genetic material from one bacteria
 - E. Flagella over the entire surface
 - F. None of the Above

69. Lophotrichous bacteria have a _____ at one or both ends.
- | | |
|-----------------------------|----------------------|
| A. Forming spore | D. Tuft of flagella |
| B. Spore formation | E. Cilia |
| C. A single polar flagellum | F. None of the Above |
70. Amphitrichous bacteria are bacteria that have _____.
- | | |
|------------------------------|-------------------------------------------|
| A. One flagellum at each end | D. Genetic material from another bacteria |
| B. A single polar flagellum | E. One or both ends |
| C. The entire surface | F. None of the Above |
71. Monotrichous bacteria are bacteria that have _____.
- | | |
|------------------------------|-------------------------------------------|
| A. One flagellum at each end | D. Genetic material from another bacteria |
| B. A single polar flagellum | E. One or both ends |
| C. The entire surface | F. None of the Above |

Pili or Fimbriae

72. Pili or Fimbriae on gram negative bacteria enable them to attach to other bacteria or to membrane surfaces such as _____.
- | | |
|------------------------------|-----------------------------------------|
| A. Chromosomes | D. Macromolecular polymer-peptidoglycan |
| B. Intestinal linings or RBC | E. Cytoplasmic organelles |
| C. Cell membranes | F. None of the Above |
73. Gram negative bacteria use _____ to transfer genetic material from one bacteria cell to another.
- | | |
|---------------------|-----------------------------------------|
| A. Chromosomes | D. Macromolecular polymer-peptidoglycan |
| B. Pili or Fimbriae | E. Cytoplasmic organelles |
| C. Cell membranes | F. None of the Above |

Spores

74. Some bacteria enclose _____ in spores as a means of survival.
- | | |
|-------------------------|-----------------------------------------|
| A. Spores | D. Spore formation |
| B. Genetic material | E. Macromolecular polymer-peptidoglycan |
| C. Cytoplasmic granules | F. None of the Above |
75. When the _____ lands on a fertile surface, it forms a new vegetative cell.
- | | |
|---------------------|----------------------|
| A. Spores | D. Spore formation |
| B. Genetic material | E. Dried spore |
| C. Protein coat | F. None of the Above |
76. Spore formation is not related to reproduction.
- A. True B. False

Bacterial Nutrition

77. Most cells require significant quantities of _____.
- | | |
|-----------------------|----------------------|
| A. Water | D. Oxygen |
| B. Nitrogen | E. Calcium |
| C. Iron, Zinc, Cobalt | F. None of the Above |

78. All life requires _____ to grow and reproduce.
- | | |
|-----------------------|----------------------|
| A. Water | D. Oxygen |
| B. Copper | E. Calcium |
| C. Iron, Zinc, Cobalt | F. None of the Above |
79. Some enzymes require the trace metals _____ to function.
- | | |
|---------------------------|------------------------|
| A. Water and oxygen | D. Oxygen and hydrogen |
| B. Copper and iron | E. Calcium and zinc |
| C. Iron, zinc, and cobalt | F. None of the Above |
80. Sources of energy required by all life include light or inorganic substances like sulfur, carbon monoxide or ammonia, or preformed organic matter like sugar, protein, and fats.
- A. True B. False
81. The nutrient _____ may be in the form of nitrogen gas, ammonia, nitrate/nitrite, or a nitrogenous organic compound like protein or nucleic acid.
- | | |
|-----------------------|----------------------|
| A. Water | D. Oxygen |
| B. Nitrogen | E. Calcium |
| C. Iron, Zinc, Cobalt | F. None of the Above |
82. The nutrient _____ may be in the form of carbon dioxide, methane, carbon monoxide, or a complex organic material.
- | | |
|-----------------------|----------------------|
| A. Water | D. Oxygen |
| B. Carbon | E. Calcium |
| C. Iron, Zinc, Cobalt | F. None of the Above |
83. _____ in a bound form is used by all cells.
- | | |
|-----------------------|----------------------|
| A. Water | D. Oxygen |
| B. DNA molecule | E. Calcium |
| C. Iron, Zinc, Cobalt | F. None of the Above |

Fastidious

84. Many _____ can make the complex molecules they need from the basic minerals.
- | | |
|----------------|----------------------|
| A. Eukaryotes | D. Centrioles |
| B. Bacteria | E. Viruses |
| C. Prokaryotes | F. None of the Above |
85. Fastidious _____ require preformed organic molecules like vitamins, amino acids, nucleic acids, carbohydrates.
- | | |
|----------------|----------------------|
| A. Eukaryotes | D. Centrioles |
| B. Bacteria | E. Viruses |
| C. Prokaryotes | F. None of the Above |

Eukaryote Described

86. Eukaryotes have their genetic material organized into membrane-bound nuclei.
- A. True B. False

87. _____ include multicellular organisms such as animals, plants, and fungi, as well as unicellular protists.
- | | |
|----------------|----------------------|
| A. Eukaryotes | D. Centrioles |
| B. Bacteria | E. Viruses |
| C. Prokaryotes | F. None of the Above |
88. _____ include other organisms such as bacteria which lack nuclei and other complex cell structures.
- | | |
|----------------|----------------------|
| A. Eukaryotes | D. Centrioles |
| B. Bacteria | E. Viruses |
| C. Prokaryotes | F. None of the Above |
89. The eukaryotes share a common origin, and are treated as a super kingdom, empire, or domain.
- A. True B. False

Eukaryotic Cells

90. In terms of volume, eukaryotic cells are much larger than _____.
- | | |
|----------------|----------------------|
| A. Eukaryotes | D. Centrioles |
| B. Bacteria | E. Viruses |
| C. Prokaryotes | F. None of the Above |
91. _____ have a variety of organelles and a cytoskeleton composed of microtubules and microfilaments.
- | | |
|----------------------|----------------------|
| A. Eukaryotic cells | D. Centrioles |
| B. Bacteria | E. Viruses |
| C. Prokaryotic cells | F. None of the Above |
92. DNA in _____ cells is divided into several bundles called chromosomes.
- | | |
|----------------|----------------------|
| A. Eukaryotic | D. Centrioles |
| B. Bacteria | E. Viruses |
| C. Prokaryotic | F. None of the Above |
93. Most eukaryotes have some process of reproduction via cell fusion.
- A. True B. False
94. _____ include a variety of membrane-bound structures known as the endomembrane system.
- | | |
|--------------------------------|----------------------|
| A. Eukaryotic cells | D. Centrioles |
| B. Golgi bodies or dictyosomes | E. Viruses |
| C. Prokaryotic cells | F. None of the Above |
95. _____ are simple compartments that can form by budding off of other membranes.
- | | |
|-------------------------|----------------------|
| A. Eukaryotes | D. Centrioles |
| B. Bacteria | E. Viruses |
| C. Vesicles or vacuoles | F. None of the Above |

106. The interior of flagella is continuous with the _____.
- | | |
|------------------------|------------------------|
| A. Flagella | D. Free-living amoebae |
| B. Bacteria or viruses | E. Cell's cytoplasm |
| C. Haptonema | F. None of the Above |

Centrioles

107. Centrioles are often found in cells that do not have flagella. They generally occur in groups of one or two, called _____.
- | | |
|----------------------------|-------------------------------|
| A. Kinetosome or centriole | D. Nonpathogenic protozoa |
| B. Kinetids | E. Various microtubular roots |
| C. Beneficial symbionts | F. None of the Above |
108. Centrioles form a primary component of the _____.
- | | |
|-------------------------|---------------------------|
| A. Vacuole or tonoplast | D. Cytoskeletal structure |
| B. Haptonema | E. Cytoplasm |
| C. Cyst | F. None of the Above |
109. _____ may form a spindle during nuclear division.
- | | |
|-------------------------|-------------------------------------|
| A. Contractile vacuoles | D. Microtubule-supported organelles |
| B. Centrioles | E. Vacuoles or tonoplasts |
| C. Paramecium | F. None of the Above |
110. Radiolaria and heliozoa protists have various other microtubule-supported organelles.
- A. True B. False
111. The protists _____ produce axopodia used in flotation or to capture prey.
- | | |
|---------------|----------------------------|
| A. Paramecium | D. Protozoan pathogens |
| B. Haptonema | E. Radiolaria and heliozoa |
| C. Paramecium | F. None of the Above |

Paramecium

112. _____ are single-celled organisms in the kingdom Protista that live in fresh water.
- | | |
|----------------------------|-------------------------------------|
| A. Kinetosome or centriole | D. Eukaryotes |
| B. E-coli | E. Bacterium Legionella pneumophila |
| C. Paramecium | F. None of the Above |
113. The osmotic concentration in the external environment of paramecium is much lower than that in their _____.
- | | |
|-------------------------|------------------------|
| A. Contractile vacuoles | D. Protozoan pathogens |
| B. Haptonema | E. Cytoplasm |
| C. Cyst | F. None of the Above |
114. The habitat in which paramecium live is hypotonic to their cytoplasm.
- A. True B. False

115. The continuous influx of water into Paramecium is caused by the difference in _____ concentration between their environment and cytoplasm.
- | | |
|-------------------------|---------------------------------|
| A. Contractile vacuoles | D. Osmotic |
| B. Cytoplasm | E. Hypotonic to their cytoplasm |
| C. Homeostasis | F. None of the Above |
116. Water in Paramecium must be continually pumped out of the cell at the same rate at which it moves in to maintain _____.
- | | |
|----------------|----------------------|
| A. Life | D. Osmotic |
| B. Happiness | E. Cytoplasm |
| C. Homeostasis | F. None of the Above |
117. The osmoregulation process in Paramecium is carried out by two organelles known as _____.
- | | |
|-------------------------|-------------------------------------|
| A. Contractile vacuoles | D. Microtubule-supported organelles |
| B. Cytoplasm | E. Osmosis |
| C. Homeostasis | F. None of the Above |

Protozoa Section

118. The organisms that carry out all of their life functions within a single eukaryotic are called _____.
- | | |
|--------------------|----------------------|
| A. Eukaryotic cell | D. Marine ciliates |
| B. Protozoa | E. Cytoplasma |
| C. Amoeba | F. None of the Above |
119. Paramecium, _____, and Amoeba are well-known examples of protozoa.
- | | |
|---------------------------|----------------------|
| A. Eukaryotes | D. Euglena |
| B. Enterovirulent E. coli | E. Cytoplasma |
| C. Marine ciliates | F. None of the Above |
120. Some _____ can be closely related to animals or plants, while others are relatively unique.
- | | |
|---------------------|----------------------|
| A. Eukaryotic cells | D. Marine ciliates |
| B. Protozoa | E. Cytoplasma |
| C. Amoebas | F. None of the Above |
121. Another name for _____ is algae.
- | | |
|---------------------------|----------------------------------------|
| A. Eukaryotes | D. Marine ciliates |
| B. Enterovirulent E. coli | E. Unicellular photosynthetic protozoa |
| C. Amoebas | F. None of the Above |

Free-living Protozoa

122. Many free-living _____ may be collected in similar microhabitats worldwide.
- | | |
|---------------------|----------------------|
| A. Eukaryotic cells | D. Marine ciliates |
| B. Protozoa | E. Cytoplasma |
| C. Amoebas | F. None of the Above |

123. _____ live in the interstices of sediment and beach sands, surfaces, and in cold Antarctic environments.
- | | |
|---------------|----------------------|
| A. Eukaryotes | D. Marine ciliates |
| B. Protozoa | E. Cytoplasm |
| C. Amoebas | F. None of the Above |
124. _____ live in all moist habitats within the United States.
- | | |
|---------------|----------------------|
| A. Eukaryotes | D. Marine ciliates |
| B. Protozoans | E. Cytoplasm |
| C. Amoebas | F. None of the Above |

Amoebas

125. Amoebas are unicellular protists that can constantly change their shape.
A. True B. False

How does an amoeba locomote?

126. _____ locomote by movement of their cytoplasm.
- | | |
|---------------|----------------------|
| A. Eukaryotes | D. Marine ciliates |
| B. Protozoa | E. E. coli |
| C. Amoebas | F. None of the Above |
127. The _____ have false feet with which they 'flow' over a surface.
- | | |
|---------------|----------------------|
| A. Eukaryotes | D. Marine ciliates |
| B. Protozoa | E. E. coli |
| C. Amoebas | F. None of the Above |
128. The false feet of amoebas, called pseudopods, are also used to capture prey. They can detect the kind of prey and use different _____.
- | | |
|--------------------|------------------------|
| A. Eukaryotic cell | D. 'Engulfing tactics' |
| B. Protozoa | E. Cytoplasm |
| C. Amoebas | F. None of the Above |

Protozoa Information

129. In freshwater protozoan communities, the specialized interstitial fauna of the sand found in marine communities is largely missing.
A. True B. False
130. _____ have been found in almost every type of soil and in every kind of environment, from peat bogs to the dry sands of deserts.
- | | |
|---------------------------|-----------------------|
| A. Foraminifera | D. Soil-loving amoeba |
| B. Protozoan fauna | E. Microsporidia |
| C. Soil-dwelling protozoa | F. None of the Above |

131. The _____ exist in greater numbers in freshwater habitats than in marine habitats.
- | | |
|--------------------------|----------------------|
| A. Foraminifera | D. Soil biomass |
| B. Testate amoebae | E. Microsporidia |
| C. Cytoplasm of protozoa | F. None of the Above |

Environmental Quality Indicators

132. A rich and characteristic _____ can often be found in polluted waters.
- | | |
|--------------------------|----------------------|
| A. Foraminifera | D. Soil biomass |
| B. Protozoan fauna | E. Microsporidia |
| C. Cytoplasm of protozoa | F. None of the Above |

Symbiotic Protozoa

Parasites

133. Parasitic species of protozoa are among the best-known protozoa.
 A. True B. False
134. A unique group of obligate, intracellular parasitic protozoa is _____.
- | | |
|--------------------------|----------------------|
| A. Foraminifera | D. Soil biomass |
| B. Protozoan fauna | E. Microsporidia |
| C. Cytoplasm of protozoa | F. None of the Above |
135. _____ are diverse organisms that are capable of infecting a variety of plant, animal, and even other protist hosts.
- | | |
|--------------------------|----------------------|
| A. Foraminifera | D. Soil biomass |
| B. Protozoan fauna | E. Microsporidia |
| C. Cytoplasm of protozoa | F. None of the Above |
136. Worldwide infections in AIDS patients caused by four different genera of microsporidia (Encephalitozoon, Nosema, Pleistophora, and _____) have increased since 1985.
- | | |
|--------------------------|----------------------|
| A. Foraminifera | D. Enterocytozoon |
| B. Protozoan fauna | E. Microsporidia |
| C. Cytoplasm of protozoa | F. None of the Above |

Protozoan Reservoirs of Disease

137. It is well known that bacteria can be present in the _____.
- | | |
|--------------------------|----------------------|
| A. Foraminifera | D. Soil biomass |
| B. Protozoan fauna | E. Microsporidia |
| C. Cytoplasm of protozoa | F. None of the Above |
138. The presence of viruses in the cytoplasm of _____ is less frequently reported.
- | | |
|------------------------|------------------------|
| A. Flagella | D. Free-living amoebae |
| B. Bacteria or viruses | E. Cell's cytoplasm |
| C. Protozoa | F. None of the Above |

139. Certain human pathogens have been shown to not only survive but also to reproduce in the cytoplasm of free-living, _____.
- | | |
|-------------------------|---------------------------|
| A. Amoeba | D. Nonpathogenic protozoa |
| B. Organisms | E. Various protozoa |
| C. Beneficial symbionts | F. None of the Above |
140. Protozoa are the natural habitat for certain pathogenic bacteria.
A. True B. False
141. The causative organism of Legionnaires' disease is _____.
- | | |
|------------------------|-------------------------------------|
| A. Amoeba | D. Free-living amoebae |
| B. Bacteria or viruses | E. Bacterium Legionella pneumophila |
| C. Protozoa | F. None of the Above |
142. _____ live and multiply in the cytoplasm of some free-living amoebae.
- | | |
|----------------|-------------------------------------|
| A. Centrioles | D. Amoebae |
| B. Viruses | E. Bacterium Legionella pneumophila |
| C. Autotrophic | F. None of the Above |

Symbionts

143. Some _____ can be beneficial symbionts.
- | | |
|-------------|-------------------------------------|
| A. Amoeba | D. Free-living amoebae |
| B. Viruses | E. Bacterium Legionella pneumophila |
| C. Protozoa | F. None of the Above |
144. Many _____ inhabit the rumen and reticulum of ruminates and the cecum and colon of equids.
- | | |
|------------------------|---------------------------|
| A. Protozoa | D. Soil-dwelling protozoa |
| B. Foraminifera | E. Ciliates |
| C. Freshwater protozoa | F. None of the Above |

Data on Protozoa

145. Because of limited knowledge of free-living protozoa in the U.S. coastal waterways, most ecologists who include _____ in their studies of aquatic habitats do not identify them, even if they do count and measure them for biomass estimates.
- | | |
|------------------------|------------------------|
| A. Protozoa | D. Fossil foraminifera |
| B. Foraminifera | E. Marine protozoa |
| C. Freshwater protozoa | F. None of the Above |
146. More is known about _____ of humans, domestic animals, and wildlife than about other free-living protozoans.
- | | |
|------------------------|-----------------------|
| A. Protozoa | D. Parasitic protozoa |
| B. Foraminifera | E. Marine protozoa |
| C. Freshwater protozoa | F. None of the Above |

Ecological Role of Protozoa

147. _____ play an important role in many communities where they occupy a range of trophic levels, although they are frequently overlooked,
- A. Protozoa
 - B. Foraminifera
 - C. Freshwater protozoan
 - D. Fossil foraminifera
 - E. Marine protozoa
 - F. None of the Above
148. Protozoa are predators upon unicellular algae, _____, and microfungi.
- A. Bacteria
 - B. Many ecological conditions
 - C. Amazingly diverse organisms
 - D. Pathogenic bacteria
 - E. Bacterium
 - F. None of the Above
149. _____ are a food source for microinvertebrates.
- A. Meiofauna
 - B. Malaria parasites
 - C. Microinvertebrates
 - D. Algal production
 - E. Protozoa
 - F. None of the Above
150. An important ecological role of protozoa is the transfer of bacterial and _____ to successive trophic levels.
- A. Protozoa
 - B. Malaria parasites
 - C. Microinvertebrates
 - D. Algal production
 - E. Trophozoites and cysts
 - F. None of the Above

Factors Affecting Growth and Distribution

151. _____ multiply by cell division.
- A. Most free-living protozoa
 - B. Foraminifera
 - C. Freshwater protozoan
 - D. Fossil foraminifera
 - E. Marine protozoa
 - F. None of the Above
152. Protozoa can live actively in nutrient-poor to organically rich waters and in fresh water varying between 0° C(32° F) and 50° C(122° F).
- A. True
 - B. False

Wastewater Treatment Biology

153. In the activated sludge process, four (4) groups of bugs do most of the “eating”.
- A. True
 - B. False
154. The first group of bugs is the bacteria which eat the _____.
- A. Dissolved organic compounds
 - B. Settled bugs
 - C. Activated sludge
 - D. Secondary treatment
 - E. Total Dissolved Solids
 - F. None of the Above
155. Microorganisms known as the free-swimming and _____ make up the second and third groups of bugs. These larger bugs eat the bacteria and are heavy enough to settle by gravity.
- A. Mixed liquor
 - B. Suctoria
 - C. Stalked ciliates
 - D. Bacteria
 - E. Volatile Solids
 - F. None of the Above

156. The fourth group of bugs is a microorganism known as _____, which feed on the larger bugs and assist with settling.
- | | |
|--------------------------|----------------------|
| A. Water bear | D. Rotifer |
| B. Suctoria | E. Vorticella |
| C. Activated sludge bugs | F. None of the Above |
157. The bacteria that eat the dissolved organics have no mouth.
- A. True B. False
158. The bacteria that eat the dissolved organics have a sticky fat layer on _____, which is what the organics adhere to.
- | | |
|---------------|------------------------------|
| A. Fur | D. The outside of their body |
| B. Their feet | E. Cilia |
| C. Their eyes | F. None of the Above |
159. Once the bacteria have “contacted” their food, they start the digestion process by sending out a chemical enzyme through the cell wall to break up the _____.
- | | |
|----------------------|---------------------------|
| A. Mixed liquor | D. Bacteria |
| B. Organic compounds | E. Total Dissolved Solids |
| C. Activated sludge | F. None of the Above |
160. The digestion enzyme, known as the _____, breaks the organic molecules into units small enough to pass through the cell wall of the bacteria.
- | | |
|----------------------|---------------------------|
| A. Mixed liquor | D. Bacteria |
| B. Hydrolytic enzyme | E. Total Dissolved Solids |
| C. Activated sludge | F. None of the Above |
161. The _____ process in wastewater treatment uses bacteria-eating-bugs in the presence of oxygen to reduce the organics in water.
- | | |
|---------------------|----------------------|
| A. Mixed liquor | D. Reduction |
| B. Oxidation | E. Settleable Solids |
| C. Activated sludge | F. None of the Above |
162. The contact of the bacteria with the organic compounds, the first step in the activated sludge process, takes about _____.
- | | |
|-------------|----------------------|
| A. 24 hours | D. 30 Minutes |
| B. 2 Hours | E. 72 Hours |
| C. 1 Hour | F. None of the Above |
163. The second step in the activated sludge process is the breaking up, ingestion and digestion processes, which takes _____.
- | | |
|-------------------------|----------------------|
| A. Four (4) to 24 hours | D. 30 Minutes |
| B. 2 Hours | E. 72 Hours |
| C. 1 Hour | F. None of the Above |
164. An asset to the settling process is the fat storage property of the bacteria.
- A. True B. False

165. In the activated sludge process, the bugs “bump” into each other and their fat sticks together, causing flocculation of the _____.
- | | |
|-----------------------------------|----------------------|
| A. Mixed liquor | D. WAS |
| B. Floc | E. Settleable Solids |
| C. Non-organic solids and biomass | F. None of the Above |
166. The wastewater leaving the aeration tank, now called _____, flows to a secondary clarification basin where the flocculated biomass of solids settle out of the water.
- | | |
|---------------------|----------------------|
| A. Mixed liquor | D. Reduction |
| B. Oxidation | E. Settleable Solids |
| C. Activated sludge | F. None of the Above |
167. The _____ (also called activated sludge) is used again by returning it to the influent of the aeration tank.
- | | |
|-------------------|------------------------|
| A. Carry over | D. Super WAS |
| B. RAS | E. Sludge Volume Index |
| C. Solids biomass | F. None of the Above |

Wastewater Treatment Microlife

168. Euglypha is a shelled amoeba that primarily eats bacteria.
A. True B. False
169. Euchlanis is commonly found in activated sludge when effluent quality is bad.
A. True B. False

Giardiasis *Giardia lamblia* - Chapter 2

170. *Giardia lamblia* is a protozoa that moves with the aid of five flagella. In Europe, it is sometimes referred to as _____.
- | | |
|--------------------------------|--------------------------------------|
| A. Chronic cases | D. Typically, the disease |
| B. The organism | E. Morphologically distinct organism |
| C. <i>Lamblia intestinalis</i> | F. None of the Above |
171. The most frequent cause of non-bacterial diarrhea in North America is giardiasis.
A. True B. False
172. Giardiasis is caused by _____, a one-celled, microscopic parasite that can live in the intestines of animals and people.
- | | |
|------------------------------|---------------------------------------|
| A. <i>Giardia duodenalis</i> | D. Diseases |
| B. Organisms | E. Morphologically distinct organisms |
| C. Parasites | F. None of the Above |
173. *Giardia duodenalis* is one of the most common causes of waterborne (and occasionally foodborne) illness often referred to as "Beaver Fever."
A. True B. False

174. Greasy diarrhea, gas, stomach cramps, fatigue, and weight loss begin approximately one week after ingestion of the _____.
- | | |
|---------------------|--------------------------------|
| A. Intestinal flora | D. Various degrees of symptoms |
| B. Giardia cysts | E. The microaerophilic Giardia |
| C. Human giardiasis | F. None of the Above |
175. The basic biology of *Giardia duodenalis*, the _____ that causes giardiasis, is poorly understood.
- | | |
|-----------------|--------------------------------------|
| A. Chronic case | D. Disease |
| B. Organism | E. Morphologically distinct organism |
| C. Parasite | F. None of the Above |
176. The _____ uses mitosomes in the maturation of iron-sulfur proteins.
- | | |
|--------------------------|--------------------------------|
| A. Intestinal flora | D. Various degrees of symptoms |
| B. The disease mechanism | E. Microaerophilic Giardia |
| C. Human giardiasis | F. None of the Above |

Nature of Disease

177. _____ that cause human and animal illness appear to be identical.
- | | |
|---------------------------------|---------------------------|
| A. Chronic cases | D. Typically, the disease |
| B. The organism | E. Organisms |
| C. <i>Lambliia intestinalis</i> | F. None of the Above |
178. _____ may cause diarrhea within 1 week of ingestion of the cyst.
- | | |
|--------------------------|--------------------------------|
| A. Intestinal flora | D. Various degrees of symptoms |
| B. The disease mechanism | E. The microaerophilic Giardia |
| C. Human giardiasis | F. None of the Above |
179. Chronic cases of giardiasis, with and without defined _____, are difficult to treat.
- | | |
|---------------------------------|--------------------------------------|
| A. Immune deficiencies | D. Typically, the disease |
| B. The organism | E. Morphologically distinct organism |
| C. <i>Lambliia intestinalis</i> | F. None of the Above |
180. The _____ of giardiasis is unknown, though some investigators believe that the organism produces a toxin.
- | | |
|----------------------|--------------------------------|
| A. Intestinal flora | D. Various degrees of symptoms |
| B. Disease mechanism | E. Microaerophilic Giardia |
| C. Human giardiasis | F. None of the Above |
181. _____ that causes giardiasis has been found inside host cells in the duodenum.
- | | |
|---------------------------------|--------------------------------------|
| A. Intestinal flora | D. Typically, the disease |
| B. The organism | E. Morphologically distinct organism |
| C. <i>Lambliia intestinalis</i> | F. None of the Above |
182. A possible pathogenic mechanism may be _____ of the absorptive surface of the intestine.
- | | |
|--------------------------|--------------------------------|
| A. Intestinal flora | D. Various degrees of symptoms |
| B. The disease mechanism | E. Mechanical obstruction |
| C. Human giardiasis | F. None of the Above |

183. _____ can be excysted, cultured, and encysted in the laboratory.
- | | |
|-------------------------|---------------------------|
| A. Intestinal flora | D. Typically, the disease |
| B. The organism | E. Giardia |
| C. Lamblia intestinalis | F. None of the Above |
184. _____ have been described through analysis of their proteins and DNA.
- | | |
|----------------------------------|--------------------------------|
| A. Several strains of G. lamblia | D. Various degrees of symptoms |
| B. Disease mechanisms | E. The microaerophilic Giardia |
| C. Human giardiasis | F. None of the Above |
185. The same strain of G. Lamblia will cause _____ in different individuals.
- | | |
|----------------------|--------------------------------|
| A. Intestinal flora | D. Various degrees of symptoms |
| B. Disease mechanism | E. Course of the disease |
| C. Human giardiasis | F. None of the Above |

Diagnosis of Human Illness

186. Giardia lamblia is frequently diagnosed by visualizing the trophozoite or the cyst in stained preparations or unstained wet mounts with the aid of a microscope.
- A. True B. False
187. In order to use a fluorescent antibody kit for staining, _____ may be concentrated by sedimentation or flotation.
- | | |
|--------------------|-----------------------------------------|
| A. Organisms | D. Giardiasis |
| B. Infective cysts | E. Recognizable organisms in the sample |
| C. Acute outbreaks | F. None of the Above |
188. _____ that detects excretory secretory products of the organism may also be used to diagnose Giardia lamblia.
- | | |
|--------------|-------------------------------------------------|
| A. Bac-T | D. Infective cysts |
| B. An enzyme | E. An enzyme linked immunosorbant assay (ELISA) |
| C. Lab array | F. None of the Above |

Relative Frequency of Disease

189. Since many individuals seem to have a lasting immunity after infection, _____ is more prevalent in children than in adults.
- | | |
|--------------------|----------------------|
| A. Cryptosporidium | D. Infective cysts |
| B. An enzyme | E. Trophozoite |
| C. Giardiasis | F. None of the Above |
190. The overall incidence of _____ in the United States is estimated to be 2% of the population.
- | | |
|--------------------|----------------------|
| A. Cryptosporidium | D. Infective cysts |
| B. An enzyme | E. Trophozoite |
| C. Giardiasis | F. None of the Above |

191. _____ of giardiasis are common with infants, not because of the water, but because of diaper changing hygiene procedures at childcare centers.
- | | |
|--------------------|----------------------|
| A. Flagyl | D. Giardiasis |
| B. Infective cysts | E. Intestinal flora |
| C. Acute outbreaks | F. None of the Above |
192. The water provider is obligated to investigate and analyze all water customer complaints and make sure that the water is safe.
- A. True B. False

Course of Disease and Complications

193. _____ is very effective in terminating infections.
- | | |
|----------------------|-----------------------------------------|
| A. Flagyl | D. Giardiasis |
| B. Infective cysts | E. Recognizable organisms in the sample |
| C. An acute outbreak | F. None of the Above |
194. Giardiasis may shorten the lifespan of immune deficient individuals.
- A. True B. False

Target Populations

195. _____ occurs throughout the population, but is more prevalent in children than adults.
- | | |
|------------------|------------------------------------|
| A. This organism | D. An Infective cyst |
| B. An enzyme | E. A small pear-shaped trophozoite |
| C. Giardiasis | F. None of the Above |
196. Adults are more likely to suffer from chronic symptomatic giardiasis than children.
- A. True B. False

Cryptosporidiosis *Cryptosporidium* - Chapter 3

197. Cryptosporidiosis transmission occurs from ingestion of food or water contaminated with stool, such as water in the recreational water park and swimming pool settings.
- A. True B. False
198. Watery diarrhea, severe cramps, weight loss, nausea, vomiting, and fever are all symptoms of cryptosporidiosis.
- A. True B. False
199. The severity of cryptosporidiosis symptoms varies with the degree of underlying immunosuppression of the patient.
- A. True B. False
200. Cryptosporidiosis is a danger for the immunocompromised, especially HIV-positive persons and persons with AIDS.
- A. True B. False

201. Child care workers, diaper-aged children who attend childcare centers, persons exposed to human feces by sexual contact, and caregivers who might come in direct contact with feces all have an increased risk of contracting cryptosporidiosis.
A. True B. False

Cholera *Vibrio Cholerae* - Chapter 4

202. An organism called *Vibrio Cholerae* is the cause of cholera.
A. True B. False
203. *V cholerae* was discovered by Louis Pasteur in 1883.
A. True B. False
204. Cholera has been very common in industrialized nations for the last 100 years.
A. True B. False
205. Cholera cannot be easily prevented and treated.
A. True B. False
206. Cholera is not a major threat in the United States because of advanced water and sanitation systems.
A. True B. False
207. *V cholerae* is a comma-shaped, gram-negative aerobic bacillus.
A. True B. False
208. *V cholerae* O1 or O139 are associated with mild cholera outbreaks.
A. True B. False
209. Currently, El Leche is the predominant cholera pathogen.
A. True B. False
210. Cholera spreads rapidly in areas that have inadequate treatment of drinking water and sewage.
A. True B. False

Legionnaires' Disease *Legionella* - Chapter 5

211. The bacteria that caused the 1976 outbreak of pneumonia at an American Legion convention came to be known as _____:
A. Legionella
B. Pontiac fever
C. Aerosolized water
D. Legionnaire's disease
E. Legionella pneumophila
F. None of the Above
212. The more severe form of the disease caused by Legionella bacteria is called Legionnaires' disease, and this infection includes pneumonia. The milder form of the disease is called _____.
A. Legionella
B. Pontiac fever
C. Legionnaires' disease
D. Pneumonia
E. Pneumophila
F. None of the Above

What have been the water sources for Legionnaires' disease?

213. The inhalation of small droplets of water or fine aerosol containing _____ is the most common cause of Legionnaires disease.
- A. Legionella
 - B. Pontiac fever
 - C. Legionella bacteria
 - D. Legionnaire's disease
 - E. Legionella pneumophila
 - F. None of the Above
214. _____ are naturally found in rivers, lakes and ponds and may colonize manmade water systems such as air conditioning systems and cooling towers.
- A. Legionella bacteria
 - B. Pontiac fever
 - C. Aerosolized water
 - D. Legionnaire's disease
 - E. Legionella pneumophila
 - F. None of the Above

How do people contract Legionella?

215. The most common way that Legionella bacteria enter into the lungs to cause pneumonia is through breathing.
- A. True
 - B. False
216. _____ can multiply rapidly in warm water-containing systems, from less than 10 per milliliter to over 1,000 per milliliter of water in a period of one month.
- A. Legionella bacteria
 - B. Pontiac fever
 - C. Monoclonal antibodies
 - D. Legionnaire's disease
 - E. Pneumophila
 - F. None of the Above
217. A relatively simple procedure is available for disinfecting water systems when high numbers of _____ are found. This procedure uses chlorine and detergent.
- A. Legionella bacteria
 - B. Pontiac fever
 - C. Monoclonal antibodies
 - D. Legionnaire's disease
 - E. Pneumophila
 - F. None of the Above
218. Which is the most common way that Legionella bacteria enter into the lungs to cause pneumonia?
- A. Choking
 - B. Pontiac fever
 - C. Aspiration
 - D. Breathing
 - E. Coffee drinking
 - F. None of the Above

Epifluorescence Microscopy DFA Method

219. Routine biocide treatments will eradicate _____ in laboratory studies, but not in the environment.
- A. Pontiac fever
 - B. Monoclonal antibodies
 - C. Legionella bacteria
 - D. Legionnaire's disease
 - E. Pneumophila
 - F. None of the Above
220. Culture methods aren't sensitive enough for routine, quantitative monitoring.
- A. True
 - B. False

221. Outbreaks of the disease can still be caused by _____ that culture methods will not identify.
- | | |
|-------------------|------------------------------|
| A. Legionella | D. Legionnaire's disease |
| B. Bugs | E. Non-culturable legionella |
| C. Microbial mats | F. None of the Above |
222. Direct fluorescent antibody (DFA) tests using a battery of _____ are more useful for routine monitoring than culture methods.
- | | |
|-----------------------|--------------------------|
| A. Legionella | D. Legionnaire's disease |
| B. Laboratory studies | E. Monoclonal antibodies |
| C. Microbial mats | F. None of the Above |
223. Legionella species of bacteria are _____, strictly aerobic rods.
- | | |
|-------------------|---------------------------|
| A. Legionella | D. Legionnaire's disease |
| B. Microbial mats | E. Legionella pneumophila |
| C. Gram negative | F. None of the Above |

Escherichia Coli - Chapter 6

Fecal Coliform Bacteria

224. A microscopic organism that lives in the intestines of warm-blooded animals is _____.
- | | |
|--------------------------|----------------------------------------|
| A. Enrichment culture | D. Fecal coliform bacteria |
| B. Microscopic organisms | E. Conditions are favorable for growth |
| C. Fecal matter | F. None of the Above |
225. If fecal coliform bacteria are present in high numbers in a water sample, it means that the water has been contaminated with _____.
- | | |
|----------------------------|-----------------------------|
| A. Bacteria levels | D. Bacterial concentrations |
| B. Fecal coliform bacteria | E. Fecal matter |
| C. Salmonellae | F. None of the Above |
226. Although _____ do not necessarily cause disease, they are indicators that other disease-carrying organisms may be present.
- | | |
|--------------------------|----------------------------------------|
| A. Enrichment culture | D. Fecal coliform bacteria |
| B. Microscopic organisms | E. Conditions are favorable for growth |
| C. Fecal matter | F. None of the Above |

Reasons for Natural Variation

227. _____ are living organisms, unlike other drinking water quality parameters.
- | | |
|----------------------------|-----------------------------|
| A. Bacteria levels | D. Bacterial concentrations |
| B. Fecal coliform bacteria | E. Fecal matter |
| C. Salmonellae | F. None of the Above |
228. Fecal coliform counts are difficult to predict because _____ are dependent on specific conditions for growth that can change quickly.
- | | |
|----------------------------|-----------------------------|
| A. Bacteria levels | D. Bacterial concentrations |
| B. Fecal coliform bacteria | E. Fecal matter |
| C. Salmonellae | F. None of the Above |

229. Although winter rains may wash more _____ into a river or stream, cool water temperatures may cause a major die-off of fecal coliform bacteria.
- | | |
|--------------------------|----------------------------|
| A. Enrichment culture | D. Fecal coliform bacteria |
| B. Microscopic organisms | E. Bacteria levels |
| C. Fecal matter | F. None of the Above |

Expected Impact of Pollution

230. Wastewater treatment plant discharges, failing septic systems and animal waste all contribute _____ to fresh water.
- | | |
|--------------------------|----------------------------------------|
| A. Enrichment culture | D. Fecal coliform bacteria |
| B. Microscopic organisms | E. Conditions are favorable for growth |
| C. Fecal matter | F. None of the Above |
231. Urbanization does not necessarily decrease bacterial levels in a watershed because _____ are developed.
- | | |
|----------------------------|-----------------------------|
| A. Bacteria levels | D. Bacterial concentrations |
| B. Fecal coliform bacteria | E. Fecal matter |
| C. New sources of bacteria | F. None of the Above |
232. Surprisingly high _____ have been found in stormwater runoff in urbanized areas because other sources are present such as pets and leaking sanitary sewers.
- | | |
|--------------------------|-------------------------------------------|
| A. Enrichment culture | D. Fecal coliform bacteria concentrations |
| B. Microscopic organisms | E. Conditions are favorable for growth |
| C. Fecal matter | F. None of the Above |

Indicator Connection Varies

233. The microbiological quality of water can be assessed by measuring the levels of certain "_____" organisms such as general coliforms, E. coli, and Enterococcus bacteria.
- | | |
|---------------------|--------------------------|
| A. Pathogen | D. Enterococcus bacteria |
| B. General coliform | E. Indicator |
| C. Fecal coliform | F. None of the Above |

Water Sampling Terms and Definitions

Microbes

234. Coliform bacteria are common in the environment and are always harmful.
- A. True B. False
235. The presence of coliform bacteria in drinking water indicates that the water may be contaminated with germs that can cause disease.
- A. True B. False
236. The presence of _____ bacteria indicates that the water may be contaminated with fecal matter from humans or animals.
- | | |
|------------------------------|----------------------|
| A. Fecal Coliform and E coli | D. Bac-T |
| B. Protozoa | E. Coliform bacteria |
| C. Thermophilic | F. None of the Above |

237. _____ in human or animal wastes can cause diarrhea, cramps, nausea, headaches, or other symptoms.
- | | |
|--------------------|----------------------|
| A. Microbes | D. Cryptosporidiosis |
| B. Giardia lamblia | E. Coliform bacteria |
| C. Microorganisms | F. None of the Above |
238. _____ is a parasite that enters drinking water sources through sewage and animal waste. This parasite causes cryptosporidiosis.
- | | |
|------------------------------|----------------------|
| A. Fecal Coliform and E coli | D. Cryptosporidiosis |
| B. Giardia lamblia | E. Cryptosporidium |
| C. Microorganisms | F. None of the Above |
239. Giardia lamblia is a parasite that enters drinking water sources through sewage and animal waste. This parasite causes _____.
- | | |
|------------------------------|----------------------|
| A. Fecal Coliform and E coli | D. Cryptosporidiosis |
| B. Gastrointestinal illness | E. Coliform bacteria |
| C. Microorganisms | F. None of the Above |

Radionuclides

240. Certain radioactive minerals may emit a form of radiation known as alpha radiation.
- A. True B. False
241. Some people who consume water containing _____ over many years may have an increased risk of getting cancer.
- | | |
|-------------------------|----------------------------|
| A. Radon gas | D. Alpha emitters |
| B. Beta/photon emitters | E. Combined Radium 226/228 |
| C. Radioactive mineral | F. None of the Above |
242. _____ can be found in underground water sources, such as wells, and in the air in your home.
- | | |
|-------------------------|----------------------------|
| A. Radon gas | D. Alpha emitters |
| B. Beta/photon emitters | E. Combined Radium 226/228 |
| C. Radioactive material | F. None of the Above |
243. _____ is added to drinking water to promote dental health.
- | | |
|-------------|----------------------|
| A. Fluorine | D. Chlorine |
| B. Fluoride | E. Arsenic |
| C. Floc | F. None of the Above |
244. The EPA standard for _____ in drinking water is 4 mg/L.
- | | |
|-----------------------|-------------------------|
| A. Lead | D. Waterborne outbreaks |
| B. Fluoride | E. Arsenic |
| C. Intestinal illness | F. None of the Above |

Escherichia coli

E. coli O157:H7

245. E. coli O157:H7 is found in human feces and causes _____ when consumed.
- | | |
|--------------------------|----------------------|
| A. Shigella dysenteriae | D. E. coli |
| B. Bacterium | E. Gastroenteritis |
| C. Enterococcus bacteria | F. None of the Above |
246. _____ has been identified as a cause of foodborne illness.
- | | |
|-----------------------------|-----------------------------|
| A. Preventive measures | D. Gastroenteritis |
| B. Escherichia coli O157:H7 | E. Person-to-person contact |
| C. Enterovirulent E. coli | F. None of the Above |
247. Illnesses caused by _____ have been associated with eating undercooked, contaminated ground beef.
- | | |
|-------------------------|----------------------|
| A. Shigella dysenteriae | D. E. coli |
| B. Bacterium | E. E. coli O157:H7 |
| C. Most illnesses | F. None of the Above |
248. _____ can be spread by person-to-person contact in families and child care centers, consuming raw milk, or swimming in water contaminated with sewage.
- | | |
|---------------------------|-----------------------------|
| A. Preventive measures | D. A cause of illness |
| B. E. coli O157:H7 | E. Person-to-person contact |
| C. Enterovirulent E. coli | F. None of the Above |
249. Infection from _____ can be prevented by thoroughly cooking ground beef, avoiding unpasteurized milk, and washing hands carefully.
- | | |
|-------------------------|----------------------|
| A. Shigella dysenteriae | D. E. coli |
| B. Bacterium | E. E. coli O157:H7 |
| C. Most illnesses | F. None of the Above |

What is Escherichia coli O157:H7?

250. E. coli O157:H7 is one of hundreds of strains of the Enterococcus bacteria.
A. True B. False
251. A 1982 outbreak of severe bloody diarrhea was caused by hamburgers contaminated with E. coli O157:H7 bacteria.
A. True B. False
252. Types of E. coli bacteria are distinguished from each other using a combination of letters and numbers in the name of the bacterium.
A. True B. False
253. _____ in the EEC group cause gastroenteritis in humans.
- | | |
|---------------------------|-----------------------------|
| A. Preventive measures | D. A cause of illness |
| B. E. coli O157:H7 | E. Person-to-person contact |
| C. Enterovirulent E. coli | F. None of the Above |

254. _____ normally inhabit the intestines of humans and animals. It is the dominant species found in feces.
- | | |
|-------------------------|----------------------|
| A. Shigella dysenteriae | D. E. coli bacteria |
| B. Bacterium | E. Giardia |
| C. Most illnesses | F. None of the Above |

How does the U.S. Environmental Protection regulate E. coli?

255. To comply with the Safe Drinking Water Act, public water systems are required by the EPA to monitor for _____.
- | | |
|----------------------------|--------------------------|
| A. Indicators | D. E. coli contamination |
| B. Five samples a month | E. Coliform bacteria |
| C. Bacterial contamination | F. None of the Above |
256. If a water sample tests positive for total coliform, it must be further analyzed for _____.
- | | |
|------------------------------|----------------------|
| A. Total coliform | D. EPA regulations |
| B. Sanitary survey | E. Coliform bacteria |
| C. Fecal coliform or E. coli | F. None of the Above |
257. The largest public water systems must take at least 50 samples per month.
A. True B. False
258. Smaller water systems are required to take at least five samples per month.
A. True B. False
259. Typically, systems serving 25 to 1,000 people take one sample for coliform bacteria per month.
A. True B. False
260. Surface water sources are more vulnerable to bacterial contamination than groundwater systems.
A. True B. False
261. All surface water systems must disinfect their water to kill E. coli O157:H7.
A. True B. False

How is E. coli O157:H7 spread?

262. Meat can become contaminated which _____ during slaughter of cattle, and the organisms can be thoroughly mixed into beef when it is ground.
- | | |
|-----------------------------|------------------------|
| A. Giardia | D. Infected persons |
| B. Cryptosporidium | E. Hemorrhagic colitis |
| C. E. coli O157:H7 bacteria | F. None of the Above |
263. _____ present on a cow's udders contaminate the raw milk.
- | | |
|-----------------------------|------------------------|
| A. Giardia | D. Infected persons |
| B. Cryptosporidium | E. Hemorrhagic colitis |
| C. E. coli O157:H7 bacteria | F. None of the Above |

Related Diseases and Associated Illnesses - Chapter 7

Amebic Meningoencephalitis PAM Section *Naegleria fowleri*

264. Primary Amebic Meningoencephalitis (PAM) is a common and usually deadly disease caused by infection with the amoeba (a multi-celled organism that maintains the original shape).
A. True B. False
265. The incubation period for PAM is 2-15 days, after which severe meningitis-like symptoms suddenly start. As conditions worsen, the patient falls into a coma, and usually dies 3-7 days after the onset of symptoms.
A. True B. False
266. The PAM infection is caused by an amoeba that lives in soil and in freshwater ponds, lakes, and rivers.
A. True B. False
267. PAM is very rare even though the amoeba that causes the infection is commonly found in the environment.
A. True B. False
268. The amoeba is believed to enter the body through the mouth and travel to the stomach. The disease is easily spread from person to person.
A. True B. False
269. The PAM disease is initially suspected based on patient history. The diagnosis is made through the examination of the fluid in the digestive tract or frequently before death through the examination of digestive lining.
A. True B. False
270. PAM is a mild illness that responds to routine treatments.
A. True B. False

Noroviruses Section

271. Noroviruses are a group of related viruses that cause acute gastroenteritis in humans.
A. True B. False
272. A person with a norovirus illness may experience a low-grade fever, chills, headache, muscle aches, and a general sense of tiredness.
A. True B. False
273. The "stomach flu" caused by norovirus infection is not related to the flu (or influenza), which is a respiratory illness caused by influenza virus.
A. True B. False
274. A person can become infected with norovirus by eating food or drinking liquids that are contaminated with the virus.
A. True B. False

275. Norovirus illnesses are very contagious and can spread rapidly through day-care centers or nursing homes.
A. True B. False
276. Persons who are infected with norovirus should not prepare food for at least 3 weeks after they recover from their illness.
A. True B. False

Protozoan Pathogens

Method 1623

Cryptosporidium and Giardia Analysis

277. Samples for cryptosporidium and giardia analysis are taken in accordance with USEPA Method 1623.
A. True B. False
278. Equipment used for collection of samples for _____ requires special sterilization procedures.
A. Total Organisms D. Oocysts
B. Indicator bugs E. Cryptosporidium and Giardia
C. Cholera, polio, typhoid, hepatitis F. None of the Above
279. Method 1623 requires that sampling equipment be submerged in a vessel containing 12 percent hypochlorite solution for 30 minutes.
A. True B. False
280. After cleaning the sampling equipment in sodium hypochlorite solution, do not dechlorinate the equipment using _____.
A. Dibromochloromethane D. Sodium hypochlorite solution
B. Bromoform E. Sodium thiosulfate
C. Cl₂ and HOCl F. None of the Above
281. The sample for _____ analysis is composited in a cubitainer and sent to the laboratory.
A. Total Coliform (TC) D. Cryptosporidium
B. Indicator organisms E. Giardia
C. Cholera, polio, typhoid, hepatitis F. None of the Above
282. The cryptosporidium sample does not have to be kept on ice during transport to the laboratory.
A. True B. False

Viruses

Virions

283. Individual viruses, also called _____, contain genetic material consisting of either DNA or RNA.
A. Podoviruses D. Phage lambda of E. coli
B. Phage's host range E. Virions
C. Myovirus bacteriophages F. None of the Above

284. Viral DNA is double-stranded, while viral RNA is single stranded.
A. True B. False

285. The protective shell of a virus is called a capsid.
A. True B. False

Laboratory Analysis
Sample Procedures

286. The recommended method for detection of somatic and F-specific coliphage in streamwater samples is the single-agar layer (SAL), direct plating method with induction of β (beta)-galactosidase.
A. True B. False

287. In the SAL method, an agar medium, E. coli host culture, chemicals that induce the β (beta)-galactosidase enzyme, and appropriate antibiotics are mixed with 100-mL sample volumes.
A. True B. False

288. Upon infection by coliphage in the water sample, the E. coli host cells are lysed and stable dark blue indolyl product is visible within each plaque.
A. True B. False

289. Because of contamination by naturally occurring bacteria in streamwater samples, antibiotic-resistant host-culture strains are used as hosts for somatic and F-specific coliphage, respectively.
A. True B. False

290. For detection of coliphage in ground water, large sample volumes, such as 1-L volumes or greater, are recommended.
A. True B. False

291. The mCP agar method (U.S. Environmental Protection Agency, 1996c) is used to analyze samples for enumeration of _____.
A. Enteric viruses
B. Oocysts
C. Viral plaques
D. C. perfringens
E. E. coli host culture
F. None of the Above

292. Using standard MF techniques, _____ are incubated anaerobically for 24 hours at 44.5°C.
A. Oocysts
B. C. perfringens
C. The plates
D. Large sample volumes
E. Coliphage
F. None of the Above

293. After incubation and exposure of the plates to ammonium hydroxide, all straw-colored colonies that turn dark pink to magenta are counted as _____.
A. Enteric virus(es)
B. Oocyst(s)
C. Viral plaques
D. C. perfringens
E. E. coli host culture
F. None of the Above

294. Analyses for _____ are done with 100-, 30-, and 10-mL volumes of streamwater.
- | | |
|-------------------|-------------------------|
| A. Oocysts | D. Large sample volumes |
| B. C. perfringens | E. Coliphage |
| C. The plates | F. None of the Above |
295. The recommended method for detection of Cryptosporidium oocysts and Giardia cysts in water is Method 1623 (U.S. Environmental Protection Agency, 1999c).
- A. True B. False
296. The _____ are separated from other particulates in the sample using Immunomagnetic Separation (IMS).
- | | |
|-------------------|----------------------------------------------|
| A. Oocysts | D. Large sample volumes |
| B. C. perfringens | E. Cryptosporidium oocysts and Giardia cysts |
| C. The plates | F. None of the Above |
297. The final microscopic identification of _____ is made with fluorescently labeled antibodies and vital dye.
- | | |
|--------------------|-------------------------|
| A. Enteric viruses | D. Oocysts and cysts |
| B. Pathogens | E. E. coli host culture |
| C. Viral plaques | F. None of the Above |
298. The recommended methods for detection of _____ in water samples are the RT-PCR and cell-culture methods.
- | | |
|--------------------|----------------------|
| A. Enteric viruses | D. Attached viruses |
| B. C. perfringens | E. Coliphage |
| C. The plates | F. None of the Above |

QA/QC Activities and Measures

299. QA/QC activities and measures, such as proper sterilization of sample bottles and other equipment, must be taken to reduce contamination.
- A. True B. False
300. Prepare a separate set of E. coli host cultures for microbiological sampling at each site.
- A. True B. False

Field personnel should do the following:

301. For every sample by field personnel for total coliform, E. coli, and enterococci analyses, a _____ must be prepared to determine the sterility of equipment and supplies.
- | | |
|--------------------------|-----------------------------|
| A. Reagent water quality | D. Protozoan |
| B. Second sample | E. Microbiological sampling |
| C. MF equipment blank | F. None of the Above |
302. For every fourth sample, a _____ must be prepared to measure the effectiveness of the analyst's rinsing technique or presence of incidental contamination of the buffered water.
- | | |
|----------------------------|----------------------|
| A. Equipment blank | D. Laboratory |
| B. MF procedure blank | E. Procedure blank |
| C. Sterile working surface | F. None of the Above |

303. Sample results are suspect if contamination is found from a MF equipment or _____ blank.
- | | |
|----------------------------|----------------------|
| A. Reagent water quality | D. Protozoan |
| B. An environmental sample | E. MF procedure |
| C. MF equipment | F. None of the Above |
304. _____ for coliphage, Cryptosporidium, Giardia, and enteric virus samples are different from the MF equipment blanks for bacterial analysis.
- | | |
|-----------------------------|-------------------------------------|
| A. Equipment blanks | D. Appropriate laboratory equipment |
| B. MF procedure blanks | E. Laboratory procedures |
| C. Sterile working surfaces | F. None of the Above |
305. _____ are different from equipment blanks in that they are generated under actual field conditions.
- | | |
|----------------------------|----------------------------|
| A. Reagent water qualities | D. Field blanks |
| B. Environmental samples | E. Microbiological samples |
| C. MF equipment blanks | F. None of the Above |

Quality Assurance and Quality Control in the Laboratory

306. Production analytical laboratories may be evaluated using the following criteria: (1) appropriate and approved methods, (2) documented standard operating procedures, (3) approved quality-assurance plan, (4) fully documented quality control data, (5) participation in the standard reference sample project, (6) scientific capability of personnel, and (7) _____.
- | | |
|-----------------------------|-------------------------------------|
| A. Equipment blanks | D. Appropriate laboratory equipment |
| B. MF procedure blanks | E. Prepare a MF procedure blank |
| C. Sterile working surfaces | F. None of the Above |
307. Microbiology laboratories must follow good laboratory practices set forth by the American Public Health Association for cleanliness, safety practices, procedures for _____, and specifications for reagent water quality.
- | | |
|--------------------------|-----------------------------|
| A. Reagent water quality | D. Media preparation |
| B. Environmental samples | E. Microbiological sampling |
| C. MF equipment blanks | F. None of the Above |

Water Sampling and Laboratory Procedures - Chapter 8

New EPA Rules

Arsenic

308. Long-term exposure to _____ in drinking water may cause cancer in humans.
- | | |
|------------|----------------------|
| A. Arsenic | D. TTHMs |
| B. Copper | E. Silica |
| C. Basalt | F. None of the Above |
309. The EPA limit for _____ in drinking water is 10 ppb.
- | | |
|--------------------|-----------------------------------|
| A. Arsenic | D. Copper |
| B. Trihalomethanes | E. Disinfection byproducts (DBPs) |
| C. Disinfection | F. None of the Above |

310. _____ in water supplies comes from the erosion of rocks, minerals, and soil.
- A. Arsenic
 - B. Trihalomethanes
 - C. Disinfection byproducts
 - D. Basalt
 - E. Granite
 - F. None of the Above

ICR

311. The ICR data will be used by EPA to support future regulation of microbial contaminants, disinfectants, and disinfection byproducts.
- A. True
 - B. False
312. The ICR data will provide EPA with information on disease-causing microorganisms (pathogens), including Cryptosporidium.
- A. True
 - B. False

Disinfection Rules - Stages 1 & 2 DBPR Older Stage 1 DBPR Information

313. Disinfection byproducts that have been identified in drinking water include trihalomethanes, _____, bromate, and chlorite.
- A. Cryptosporidium
 - B. Giardia
 - C. Haloacetic acids
 - D. Chlorine
 - E. Disinfection byproducts (DBPs)
 - F. None of the Above
314. The standards for disinfection byproducts in the _____ became effective in December 2001 for large surface water public water systems, and in December 2003 for small surface water and all ground water public water systems.
- A. Cryptosporidium Rule
 - B. Disinfection Rule
 - C. Disinfection byproduct Rule
 - D. Total Trihalomethane Rule
 - E. Stage 1 DBPR
 - F. None of the Above
315. When disinfectants used in water treatment plants react with bromide and/or natural organic matter in the source water, _____ are formed.
- A. Cryptosporidium
 - B. Giardia
 - C. Chlorine byproducts
 - D. New regulations
 - E. Disinfection byproducts (DBPs)
 - F. None of the Above
316. Different types or amounts of _____ are produced by different disinfectants.
- A. Cryptosporidium
 - B. Giardia
 - C. Chlorine byproducts
 - D. Regulations
 - E. Disinfection byproducts (DBPs)
 - F. None of the Above
317. Chloroform, bromodichloromethane, dibromochloromethane, and bromoform are _____. These chemicals form when chlorine or other disinfectants are used to control microbial contaminants in drinking water.
- A. Trihalomethanes (THM)
 - B. Chlorites
 - C. Haloacetic Acids (HAA5)
 - D. Giardia and viruses
 - E. Disinfection Byproducts (DBPs)
 - F. None of the Above

318. Under the _____, total trihalomethanes (TTHM) are regulated at a maximum allowable annual average level of 80 ppb for large surface water public water systems.
- | | |
|-------------------------|----------------------|
| A. Cryptosporidium Rule | D. New rules |
| B. Disinfection Rule | E. Stage 1 DBPR |
| C. Old rules | F. None of the Above |
319. The regulated _____ are monochloroacetic acid, dichloroacetic acid, trichloroacetic acid, monobromoacetic acid, and dibromoacetic acid.
- | | |
|----------------------------|------------------------------------|
| A. Cryptosporidium | D. Organic compounds |
| B. Trihalomethanes | E. Maximum Contaminant Levels MCLs |
| C. Haloacetic Acids (HAA5) | F. None of the Above |

Haloacetic Acids (HAA5)

320. _____ is a disinfection byproduct that forms when ozone reacts with naturally occurring bromide in the source water.
- | | |
|-------------------------|---------------------------------------------|
| A. Bromate | D. From the results of coliform testing |
| B. Counter pathogens | E. Bacteria, Virus and Intestinal parasites |
| C. Monobromoacetic acid | F. None of the Above |

More on the Stage 2 DBP Rule

321. The Microbial and Disinfection Byproducts Rules (MDBPs) are a set of interrelated regulations that address risks from microbial pathogens and disinfectants/disinfection byproducts. The _____ is one part of these rules.
- | | |
|---------------------------|------------------------|
| A. Groundwater Rule (GWR) | D. Total Coliform Rule |
| B. Compliance Rule | E. ICR Rule |
| C. Stage 2 DBP Rule | F. None of the Above |
322. The _____ limits exposure to DBPs, specifically total trihalomethanes (TTHM) and five haloacetic acids (HAA5).
- | | |
|----------------------|----------------------------------------------|
| A. Disinfectant used | D. LT2 Enhanced Surface Water Treatment Rule |
| B. DBP exposure | E. Traditional disinfection practices |
| C. Stage 2 DBP Rule | F. None of the Above |
323. The Stage 2 DBP Rule applies to water systems that add a primary or residual disinfectant other than _____.
- | | |
|----------------------------|----------------------|
| A. Ultraviolet (UV) light | D. Chlorine |
| B. The open-channel system | E. Chloramine |
| C. Ozone | F. None of the Above |
324. Amendments to the SDWA in 1996 required EPA to develop rules to balance the risks between microbial pathogens and disinfection byproducts (DBPs). The Stage 1 Disinfectants and Disinfection Byproducts Rule and the _____ were the first phase in a rulemaking strategy required by Congress.
- | | |
|---------------------------------|--------------------------------------------------|
| A. Major public health advances | D. Amendments to the SDWA in 1996 |
| B. The Stage 2 DBPR | E. Interim Enhanced Surface Water Treatment Rule |
| C. This final rule | F. None of the Above |

325. The Stage 2 Disinfectants and Disinfection Byproducts Rule (Stage 2 DBPR) builds upon the _____ to address more stringent protection measures for higher risk public water systems.
- | | |
|-----------------|------------------------------------------------------|
| A. Stage 2 DBPR | D. Long Term 2 Enhanced Surface Water Treatment Rule |
| B. DBP exposure | E. Traditional disinfection practices |
| C. Stage 1 DBPR | F. None of the Above |
326. The _____ and the Long Term 2 Enhanced Surface Water Treatment Rule are the second phase of rules that address disinfectants/disinfection byproducts and microbial pathogens.
- | | |
|---------------------------------|-------------------------------------|
| A. Major public health advances | D. Amendments to the SDWA in 1996 |
| B. The Stage 2 DBPR | E. Primary or residual disinfectant |
| C. Final rule | F. None of the Above |
327. The Stage 2 DBPR and the Long Term 2 Enhanced Surface Water Treatment Rule reduce protection against Cryptosporidium, and at the same time, increase potential health risks of DBPs.
- A. True B. False

What is the Stage 2 DBPR?

328. The _____ will reduce the risk of cancer and reproductive and developmental health issues caused by disinfection byproducts (DBPs) in drinking water.
- | | |
|-----------------|------------------------------------------------------|
| A. Stage 3 DBPR | D. Long Term 2 Enhanced Surface Water Treatment Rule |
| B. DBP exposure | E. Traditional disinfection practices |
| C. Stage 2 DBPR | F. None of the Above |
329. The _____ tightens compliance monitoring requirements for trihalomethanes (TTHM) and haloacetic acids (HAA5).
- | | |
|---------------------------------|-------------------------------------|
| A. Major public health advances | D. Amendments to the SDWA in 1996 |
| B. Stage 3 DBPR | E. Primary or residual disinfectant |
| C. Stage 2 DBPR | F. None of the Above |
330. The _____ builds incrementally upon the Stage 1 DBPR to reduce DBP exposure and related health risks.
- | | |
|-----------------|------------------------------------------------------|
| A. Stage 3 DBPR | D. Long Term 2 Enhanced Surface Water Treatment Rule |
| B. Stage 2 DBPR | E. Stage 4 DBPR |
| C. Stage 1 DBPR | F. None of the Above |
331. The _____ and the Long Term 2 Enhanced Surface Water Treatment Rule are being promulgated at the same time to address concerns about risk tradeoffs between pathogens and DBPs.
- | | |
|---------------------------------|-------------------------------------|
| A. Major public health advances | D. Amendments to the SDWA in 1996 |
| B. Stage 2 DBPR | E. Primary or residual disinfectant |
| C. Final rule | F. None of the Above |

What does the rule require?

332. The _____ will require systems to conduct an Initial Distribution System Evaluation (IDSE) to identify the locations with high disinfection byproduct concentrations.
- A. Stage 2 DBPR D. Long Term 2 Enhanced Surface Water Treatment Rule
B. DBP exposure E. Traditional disinfection practices
C. Stage 1 DBPR F. None of the Above
333. The locations with high DBP concentrations identified in the IDSE will be used by the systems as the sampling sites for Stage 2 DBPR compliance monitoring.
- A. True B. False
334. Compliance with the maximum contaminant levels for TTHM and HAA5 will be calculated for each monitoring location in the distribution system. This approach is referred to as the _____.
- A. TTHM and HAA5 D. Disinfection byproducts (DBPs)
B. DBP MCLs E. Trihalomethanes and haloacetic acids
C. Locational running annual average (LRAA) F. None of the Above
335. Each system has an operational evaluation level to provide early warning of possible future MCL violations.
- A. True B. False
336. If an operational evaluation level is exceeded, the system is required to review its operational practices and identify actions that may be taken to mitigate future high _____.
- A. TTHM5 and HTAA5 D. UV
B. Halos E. Amounts of rainfall
C. DBP levels F. None of the Above

Who must comply with the rule?

337. The _____ regulates community and nontransient noncommunity water systems that treat their water with a primary or residual disinfectant other than ultraviolet light.
- A. DBPs from chlorination D. Total Coliform Rule
B. Chlorine and chloramine E. TTHM and HAA5
C. Stage 2 DBPR F. None of the Above
338. A public water system that serves year-round residents of a community, subdivision, or mobile home park that has at least 15 service connections or an average of at least 25 residents is called _____.
- A. A nontransient non-community water system (NTNCWS) D. A trailer park
B. A non-community water system E. A nontransient water system
C. A community water system (CWS) F. None of the Above
339. A water system that serves at least 25 of the same people more than six months of the year, but not as primary residence, such as schools, businesses, and day care facilities is called _____.
- A. A Trailer park D. A nontransient non-community water system (NTNCWS)
B. A non-community water system E. A nontransient water system
C. A community water system (CWS) F. None of the Above

What are Disinfection Byproducts (DBPs)?

340. _____ form when disinfectants used to treat drinking water react with naturally occurring materials in the water.
- A. Disinfectants
 - B. DBLs
 - C. Humic
 - D. Disinfection byproducts (DBPs)
 - E. Sodium Thiosulfates
 - F. None of the Above
341. Total trihalomethanes and haloacetic acids are widely occurring _____ formed during disinfection with chlorine and chloramine.
- A. Sodium Thiosulfates
 - B. Chloramines
 - C. Stage 2 DBPR
 - D. Classes of DBPs
 - E. Disinfectants
 - F. None of the Above
342. The amount of _____ can change daily, depending on the season, water temperature, amount of disinfectant added, and the amount of plant material in the water.
- A. Thiols
 - B. Chlorine and chloramine
 - C. Stage 2 DBPR
 - D. Classes of DBPs
 - E. Trihalomethanes and haloacetic acids
 - F. None of the Above

Are THMs and HAAs the only disinfection byproducts?

343. _____ act as indicators for DBP occurrence. They typically occur at higher levels than other known or unknown DBPs.
- A. DBPs from chlorination
 - B. Chlorine and chloramine
 - C. Stage 2 DBPR
 - D. Classes of DBPs
 - E. TTHM and HAA5
 - F. None of the Above

Microbial Regulations

344. The Surface Water Treatment Rule was implemented by USEPA to counter pathogens in drinking water.
- A. True
 - B. False
345. The Surface Water Treatment Rule regulates public water systems that use surface water, or groundwater under the direct influence of surface water, as their source.
- A. True
 - B. False
346. The Surface Water Treatment Rule requires regulated water systems to have sufficient treatment to reduce the source water concentration of Giardia and viruses by at least 99.9% and 99.99%, respectively.
- A. True
 - B. False
347. The _____ specifies treatment criteria that include turbidity limits, disinfectant residual, and disinfectant contact time conditions.
- A. Long Term 1 Rule
 - B. Maximum Contaminant Level Goal (MCLG)
 - C. Stage 1 Byproducts Rule
 - D. Surface Water Treatment Rule
 - E. IESW Rule
 - F. None of the Above

Revised Total Coliform Rule (RTCR)

348. The Revised Total Coliform Rule (RTCR) is the revision to the 1989 Total Coliform Rule (TCR).
- A. True
 - B. False

349. The RTCR requires public water systems to meet a legal limit for E. coli, and to demonstrate compliance by required monitoring.
A. True B. False
350. The frequency and timing of required microbial testing is based on population served, public water system type, and the source water type.
A. True B. False
351. The RTCR applies to all Public Water Systems, including CWSs, NTNCWSs, and TNCWSs.
A. True B. False
352. The EPA published the RTCR in the Federal Register on February 23, 1989.
A. True B. False
353. The RTCR requires public water systems to identify and fix problems that make them vulnerable to microbial contamination.
A. True B. False
354. The RTCR does not include criteria for systems to qualify for and stay on reduced monitoring.
A. True B. False
355. The MCLG for E. coli is zero, and the MCL is based on a condition that includes routine and repeat samples.
A. True B. False
356. If a specified frequency of total coliform occurrence is exceeded, PWSs must conduct a Level 1 or Level 2 assessment of their system.
A. True B. False
357. The PWSs doesn't necessarily have to correct sanitary defects identified during an assessment.
A. True B. False

Drinking Water Rules and Disease Relationship

358. The Total Coliform Rule (TCR) of 1989 and the _____ regulate microbial contamination of drinking water sources. The SWTR covers all water systems that use surface water or groundwater under the direct influence of surface water.
A. Long Term 1 Enhanced Surface Water Treatment Rule
B. Maximum Contaminant Level Goal (MCLG)
C. Stage 1 Disinfectants/Disinfection Byproducts Rule
D. Surface Water Treatment Rule (SWTR) of 1989
E. Interim Enhanced Surface Water Treatment Rule
F. None of the Above

359. The SWTR provides protection against *Giardia intestinalis*, viruses, and *Legionella* that can be present in surface water sources. The _____ provides additional protection against *Cryptosporidium* in surface water sources.
- Long Term 1 Enhanced Surface Water Treatment Rule
 - Maximum Contaminant Level Goal (MCLG)
 - Stage 1 Disinfectants/Disinfection Byproducts Rule
 - Surface Water Treatment Rule
 - Interim Enhanced Surface Water Treatment Rule
 - None of the Above
360. Which rule regulates surface water systems that serve less than 10,000 persons?
- Long Term 1 Enhanced Surface Water Treatment Rule
 - Maximum Contaminant Level Goal (MCLG)
 - Stage 1 Disinfectants/Disinfection Byproducts Rule
 - Surface Water Treatment Rule
 - Interim Enhanced Surface Water Treatment Rule
 - None of the Above
361. The LT1ESWTR was proposed along with the Filter Backwash Recycling Rule (FBRR).
- True
 - False

**Water Sampling and Laboratory Procedures - Chapter 9
Bacteriological Monitoring Section**

362. The routine microbiological analysis of drinking water is for _____, which is an indicator organism used to determine the biological quality of the water.
- | | |
|-----------------------|-----------------------------|
| A. Indicator bacteria | D. Coliform bacteria |
| B. Bacteria tests | E. Presence of an indicator |
| C. Contamination | F. None of the Above |
363. The presence of an indicator or _____ in drinking water is an important health concern because of the risk of waterborne diseases and illnesses.
- | | |
|------------------------|-----------------------------|
| A. Indicator bacteria | D. Microbiological analysis |
| B. Pathogenic bacteria | E. Presence of an indicator |
| C. Contaminate | F. None of the Above |
364. If _____ are present, the water may be contaminated with fecal material and, therefore, pathogens.
- | | |
|------------------------|-----------------------------|
| A. Indicator bacteria | D. Microbiological analysis |
| B. Pathogenic bacteria | E. Presence of an indicator |
| C. Contaminates | F. None of the Above |
365. Because it is difficult to test for specific disease-causing microorganisms, indicator bacteria are used to monitor for pathogens.
- True
 - False
366. _____ are usually harmless, occur in high densities, and are easily cultured.
- | | |
|-----------------------|-----------------------------|
| A. Indicator bacteria | D. Microbiological analysis |
| B. Bacteria tests | E. Presence of an indicator |
| C. Contaminates | F. None of the Above |

367. Commonly used indicators for routine monitoring of drinking water include total coliforms, fecal coliforms, and _____.
- | | |
|----------------------|-------------------------------|
| A. Sample container | D. Escherichia coli (E. coli) |
| B. Bacteria tests | E. Iron bacteria |
| C. Coliform bacteria | F. None of the Above |

Bacteria Sampling

368. A sterile container must always be used to collect water samples for _____.
- | | |
|-----------------------|-----------------------------|
| A. Indicator bacteria | D. pH analysis |
| B. Bacteria tests | E. Presence of an indicator |
| C. Contamination | F. None of the Above |
369. Bacteria samples must be refrigerated and transported to the testing laboratory within 24 hours.
- A. True B. False
370. A water test is not needed to identify _____. It forms an obvious reddish-brown slime on the inside of pipes and fixtures.
- | | |
|----------------------|-------------------------------|
| A. Colonies | D. Escherichia coli (E. coli) |
| B. Algae | E. Iron bacteria |
| C. Coliform bacteria | F. None of the Above |
371. The presence of _____ in drinking water indicates that the water may be contaminated with disease-causing organisms.
- | | |
|----------------------|-------------------------------|
| A. Diseases | D. Escherichia coli (E. coli) |
| B. Germs | E. Iron bacteria |
| C. Coliform bacteria | F. None of the Above |

Laboratory Procedures

372. One of four methods approved by the USEPA may be used by the laboratory to perform the _____.
- | | |
|----------------|----------------------------|
| A. Colilert | D. Total coliform analysis |
| B. Coliform | E. Pathogen test |
| C. Sample time | F. None of the Above |

Methods

373. The MMO-MUG test, marketed as _____, is the most common method used for total coliform analysis.
- | | |
|-----------------|----------------------------|
| A. Colilert | D. Total coliform analysis |
| B. Coliform | E. Pathogen media |
| C. Sample stuff | F. None of the Above |
374. If coliforms are present, the laboratory will analyze the sample further for _____.
- | | |
|-------------------------------|-----------------------------------------|
| A. Colilert or E. coli | D. Total coliform analysis or pathogens |
| B. Coliforms or E. coli | E. Pathogens or total coliform analysis |
| C. Fecal coliforms or E. coli | F. None of the Above |

Types of Water Samples

375. The type of _____ you are collecting must be properly identified on the laboratory form.
- A. Colilert
 - B. Coliforms
 - C. Sample
 - D. Total coliform analysis
 - E. Pathogens
 - F. None of the Above

The three (3) types of samples are:

376. Repeat samples must be collected following a 'coliform present' routine sample. The number of repeat samples required is based on the number of _____ samples the water system normally collects.
- A. Repeat
 - B. Special
 - C. QA QC
 - D. Total coliform analysis
 - E. Routine
 - F. None of the Above
377. A sample collected after repairs to the system and before it is placed back in operation is an example of a _____ sample.
- A. Repeat
 - B. Special
 - C. Sample
 - D. Total coliform analysis
 - E. Routine
 - F. None of the Above
378. _____ samples are collected routinely in accordance with an approved sampling plan to monitor for contamination.
- A. Repeat
 - B. Special
 - C. Sample
 - D. Total coliform analysis
 - E. Routine
 - F. None of the Above

Repeat Sampling

379. If a _____ is total coliform- or fecal coliform-positive, a set of repeat samples must be collected within 24 hours after being notified by the laboratory.
- A. MCL compliance
 - B. Distribution system
 - C. Routine sample
 - D. Original sampling location
 - E. Repeat sample
 - F. None of the Above

The follow-up for repeat sampling is:

380. If a system collects only one _____ per month or quarter, it must collect four (4) repeat samples.
- A. Special Sample
 - B. Routine sample
 - C. Repeat sample
 - D. Coliform present
 - E. Original sampling location
 - F. None of the Above
381. If a system collects two (2) or more routine samples per month, it must collect three (3) _____.
- A. Compliance samples
 - B. Distribution samples
 - C. Routine samples
 - D. QA/QC Split
 - E. Repeat samples
 - F. None of the Above

382. One of the repeat samples must be collected from within five (5) service connections upstream from the _____.
- | | |
|------------------------|-------------------------------|
| A. MCL compliance | D. Original sampling location |
| B. Distribution system | E. Repeat sample |
| C. Routine sample | F. None of the Above |
383. One of the repeat samples must be collected from within five (5) service connections downstream from the _____.
- | | |
|-------------------|-------------------------------|
| A. Special Sample | D. Coliform present |
| B. Routine sample | E. Original sampling location |
| C. Repeat sample | F. None of the Above |
384. The _____ must be collected from the same sampling location over a four-day period, or on the same day, for water systems that have only one service connection.
- | | |
|--------------------|-------------------------------|
| A. Special Samples | D. Coliform present |
| B. Routine samples | E. Original sampling location |
| C. Repeat samples | F. None of the Above |
385. The results of all _____ are included in the MCL compliance calculation.
- | | |
|--------------------|-------------------------------|
| A. Special Samples | D. Coliform present |
| B. Routine samples | E. Original sampling location |
| C. Repeat samples | F. None of the Above |

Heterotrophic Plate Count HPC

386. Heterotrophic Plate Count (HPC) is a procedure for estimating the number of live heterotrophic bacteria and measuring changes during water treatment and distribution.
- A. True B. False
387. The term " _____ " (CFU) refers to the chains, clusters, or single cells that form colonies of bacteria.
- | | |
|----------------------------|-------------------------|
| A. Coliform bacteria units | D. HPC units |
| B. MCLs units | E. Colony-forming units |
| C. Standards | F. None of the Above |

Spread Plate Method

388. During the Spread Plate Method, all colonies are on the _____ where they can be distinguished readily from particles and bubbles.
- | | |
|------------------------|----------------------|
| A. Agar surface | D. Bottom |
| B. Surface growth area | E. Material |
| C. Top | F. None of the Above |
389. During the Spread Plate Method, _____ can easily be discerned and compared to published descriptions.
- | | |
|-------------------|----------------------------|
| A. Colony growth | D. Heterotrophic organisms |
| B. Surface growth | E. Colony morphology |
| C. Low counts | F. None of the Above |

Membrane Filter Method

390. Large volumes of _____ can be tested by the Membrane Filter Method, and this method is preferred for low-count waters.
- A. Colonies
 - B. Surface water
 - C. Low-turbidity water
 - D. Heterotrophic organisms
 - E. MCL
 - F. None of the Above

Heterotrophic Plate Count (Spread Plate Method)

391. _____ use inorganic carbon sources as their substrate. The Heterotrophic Plate Count provides a technique to quantify the bacteriological activity of a sample.
- A. Colonies
 - B. Surface growth
 - C. AGAR
 - D. Heterotrophic organisms
 - E. Autotrophic organisms
 - F. None of the Above

Total Coliforms

392. Compliance with the MCL for total coliforms is on a daily basis.
- A. True
 - B. False
393. For systems which collect fewer than _____ samples per month, no more than one sample per month may be total-coliform positive.
- A. 5
 - B. 10
 - C. 100
 - D. 200
 - E. 40
 - F. None of the Above
394. For systems which collect _____ or more samples per month, no more than five (5) percent of the samples may be total-coliform positive.
- A. 5
 - B. 10
 - C. 100
 - D. 200
 - E. 40
 - F. None of the Above

Acute Risk to Health (Fecal coliforms and E. coli)

395. If a routine analysis shows total coliform present, and a follow-up repeat analysis indicates fecal coliform or E. coli present, _____ has occurred.
- A. A routine analysis violation
 - B. A drinking violation
 - C. A water penalty
 - D. An acute risk to human health violation
 - E. Fecal coliform or E. coli present
 - F. None of the Above
396. If routine analysis shows _____, and a follow-up repeat analysis indicates total coliform present, an acute risk to human health violation has occurred.
- A. A routine analysis violation
 - B. A drinking violation
 - C. A MCL violation
 - D. Presence of bacteria
 - E. Total and fecal coliform or E. coli present
 - F. None of the Above

397. A water system is required to provide public notice via radio and television stations in the area when _____ occurs.
- | | |
|------------------------------------|-----------------------------------|
| A. A routine analysis violation | D. A human health violation |
| B. A drinking water rule violation | E. An acute health risk violation |
| C. A MCL violation | F. None of the Above |
398. A public notice for an acute health risk violation must be given as soon as possible, but no later than 24 hours after notification from the laboratory of the test results.
- A. True B. False
399. A public notice must be issued by a water system whenever it fails to comply with an applicable MCL or _____.
- | | |
|------------------------|--------------------------------------|
| A. Routine analysis | D. Human health violation |
| B. Drinking water rule | E. Fecal coliform or E. coli present |
| C. Treatment technique | F. None of the Above |
400. Whenever a water system fails to comply with its monitoring and/or reporting requirements, a _____ is required.
- | | |
|------------------------|--------------------------------------------|
| A. Routine analysis | D. Public notice |
| B. Drinking water rule | E. Fecal coliform or E. coli present count |
| C. MCL violation | F. None of the Above |
401. Each public notice must be issued properly and in a timely manner, and must contain certain information and _____.
- | | |
|------------------------------------|-----------------------|
| A. Legal analysis | D. Mandatory language |
| B. Drinking water rule information | E. Fecal language |
| C. NOVs | F. None of the Above |
402. The timing and place of posting of the public notice will depend on whether _____ is present to water users.
- | | |
|--------------------------|--------------------------------------|
| A. A routine analysis | D. Legal analysis |
| B. A drinking water rule | E. Fecal coliform or E. coli present |
| C. An acute risk | F. None of the Above |

The following are acute violations:

403. Violation of the _____ for nitrate is an acute violation.
- | | |
|-------------|----------------------|
| A. Presence | D. Count |
| B. MCL | E. Acute violations |
| C. MCLG | F. None of the Above |
404. Any violation of the _____ for total coliforms, when fecal coliforms or E. coli are present, is an acute violation.
- | | |
|-------------|----------------------|
| A. Presence | D. Count |
| B. MCL | E. Acute violations |
| C. MCLG | F. None of the Above |
405. Any outbreak of _____ is an acute violation.
- | | |
|-----------------------|-------------------------|
| A. Total coliforms | D. Radioactive bacteria |
| B. MCL | E. Acute violations |
| C. Waterborne disease | F. None of the Above |

TCR Section Background

406. Public Water Systems (PWS) are required by the Total Coliform Rule (TCR) to monitor their distribution systems for coliform bacteria in accordance with a written sample siting plan.
A. True B. False
407. In order to properly implement the sample siting plan, staff must understand the required sampling frequency and the _____ to be used for collecting the samples.
A. Multiple sources D. Proper procedures and sampling containers
B. Sample siting plan E. Laboratory containers
C. Total coliform rule F. None of the Above
408. In order to properly implement the sample siting plan, staff must also understand the proper procedures for identification, storage and transport of the samples to the laboratory.
A. True B. False

Chain of Custody Procedures

409. A _____ begins when the sample containers are obtained from the laboratory. After that, a chain of custody record will accompany the sample containers.
A. Multiple source D. Chain of custody record
B. Sample siting plan E. Sampling container
C. Total coliform F. None of the Above
410. In addition to a _____, each custody sample may require a seal.
A. Custody sample D. Sample siting plan
B. Chain of custody record E. Positive for total coliform
C. Distribution system F. None of the Above
411. Since a sample may be used as physical evidence, _____ procedures are used to maintain and document sample possession.
A. Multiple sources D. TCR
B. Sample siting plan E. Chain of custody
C. Total coliform F. None of the Above
412. Any time _____, both parties involved must sign, date, and note the time on the chain of custody record.
A. Multiple sources are used D. Samples transfer possession
B. The sample siting plan is used E. Sampling containers are lost
C. Total coliform is positive F. None of the Above
413. If a sample must be split and sent to more than one laboratory, a separate _____ is required for each part of the sample.
A. Form D. Sample siting plan
B. Chain of custody record E. Positive for total coliform
C. Shipping invoice F. None of the Above

414. The chain of custody record must be locked with the sealed samples inside sealed boxes if the samples are delivered to an after-hours night drop-off box.
A. True B. False

Chlorine Section

Chlorine Exposure Limits

415. The OSHA PEL (Permissible Exposure Limit) for chlorine is _____.
A. 10 PPM D. 1,000 PPM
B. 1 PPM E. 100 PPM
C. 00.1 PPM F. None of the Above
416. Chlorine gas is about _____ times heavier than air.
A. 1.5 D. 2.5
B. 1.0 E. 3.0
C. 0.5 F. None of the Above
417. The IDLH (Immediately Dangerous to Life and Health) value for chlorine is _____.
A. 10 PPM D. 1,000 PPM
B. 1 PPM E. 100 PPM
C. 00.1 PPM F. None of the Above
418. The Fatal Exposure Limit for chlorine is _____.
A. 10 PPM D. 1,000 PPM
B. 1 PPM E. 100 PPM
C. 00.1 PPM F. None of the Above
419. A worker's exposure to chlorine shall at no time exceed the OSHA PEL.
A. True B. False
420. Only use chlorine gas in a well-ventilated area so that _____ cannot concentrate.
A. Chlorine exposure D. Any leaking gas
B. The connection E. Several safety precautions
C. The leak area F. None of the Above
421. When chlorine is added to water, _____ (HOCl) and the hypochlorite ion (OCl⁻) are formed.
A. Cl₂ D. Combined Available Chlorine, Total
B. Hypochlorous acid E. Monochloramine, Cl₂
C. Hypochlorite ion F. None of the Above
422. The chemical equation that best describes the reaction when _____ is added to water is: Cl₂ + H₂O --> H⁺ + Cl⁻ + HOCl.
A. Chlorine gas D. Combined Available Chlorine
B. Cl E. Monochloramine
C. HOCl and OCl⁻ F. None of the Above

Chlorine-Based Disinfectants - Chloramines

423. Chloramines are formed when ammonia and chlorine compounds are mixed with the water at a water filtration plant.
A. True B. False
424. Chloramines are often used to maintain a residual disinfectant in the distribution system following treatment with a stronger disinfectant, such as chlorine.
A. True B. False
425. The most common chloramines are _____, dichloramine, and trichloramine.
A. Free chlorine D. Monochloramine
B. Trichloramine E. Ammonia and chlorine compounds
C. Dichloramine F. None of the Above

Understanding Disinfection

Wastewater Disinfection

426. Several chemicals and process are used to _____, but none are universally applicable.
A. Limit the effects of organic material D. Disinfect wastewater
B. Improve water quality E. Limit the travel of pathogens
C. Control residual disinfection F. None of the Above
427. Aerobic treatment processes do not reduce pathogens enough to qualify as _____.
A. Treatment techniques D. Primary methods
B. Disinfection processes E. Economical
C. Environmentally safe F. None of the Above
428. Chlorination/dechlorination, ozonation, and UV light are methods used for _____.
A. Disinfection of wastewater D. Primary methods
B. Water quality E. Economical and versatile chemicals
C. Environmental and regulatory impact F. None of the Above

Water Disinfection

429. The final stage in the _____ is usually disinfection, which limits the effects of organic material, suspended solids and other contaminants.
A. Effects of organic material D. Water treatment process
B. Alternative disinfection processes E. Travel of pathogens
C. Residual level of disinfection F. None of the Above
430. The primary methods used for the _____ in small water systems are ozone, ultraviolet irradiation (UV), and chlorine.
A. Chlorates are powerful oxidizers D. Microbiological contamination
B. Adverse health effects E. Sodium chloride
C. Disinfection of water F. None of the Above

431. There are _____ used by small water systems, including chlorine dioxide, potassium permanganate, chloramines, and peroxone.
- A. Many ways to remove organic material D. Additional killing mechanisms
 B. Numerous alternative disinfection processes E. Pathogens
 C. Residual levels of disinfection F. None of the Above
432. Surface water sources were initially the focus of _____, but the Amendments to the Safe Drinking Water Act in 1996 mandated the development of regulations for the disinfection of groundwater.
- A. Chlorates are powerful oxidizers D. Microbiological contamination
 B. Adverse health effects E. Sodium chloride
 C. Water disinfection regulations F. None of the Above
433. "Chlorate" can refer to chemical compounds containing the _____ (ClO_3^-).
- A. Acid/base balance D. Traditional structures
 B. Stable perchlorates E. Chemical formula CaCl_2
 C. Chlorate anion F. None of the Above
434. Because _____ are powerful oxidizers, they should be kept away from easily oxidized materials.
- A. Chlorates D. Microbiological contamination
 B. Adverse health effects E. Sodium chlorides
 C. Formula ClO_3^- F. None of the Above
435. The instability of chlorates has reduced their use in _____. More stable perchlorates are used instead.
- A. Acid/base balance D. Pyrotechnics
 B. Stable perchlorates E. Chemical formula CaCl_2
 C. Formula ClO_3^- F. None of the Above

Chloride Ion

436. The chloride ion Cl^- is formed when the _____ gains an electron.
- A. Chlorate compound D. Microbiological contamination
 B. Adverse health effects E. Sodium chloride molecule
 C. Element chlorine F. None of the Above
437. The salts of the chloride ion, such as sodium chloride, are _____.
- A. Acid/base balance D. Very soluble in water
 B. The stable perchlorates E. The chemical formula CaCl_2
 C. The formula ClO_3^- F. None of the Above
438. Methyl chloride (chloromethane) is _____ which does not contain a chloride ion.
- A. Chlorates are powerful oxidizers D. An organic covalently bonded compound
 B. Adverse health effects E. Sodium chloride
 C. The chloride ion F. None of the Above

439. Salts formed from chloride, such as sodium chloride, calcium chloride, magnesium chloride, and potassium chloride, have various uses in food preservation, medical treatments, and _____.
- A. CaCl_2 D. Corresponding anions Cl^- , ClO^- , ClO_2^- , ClO_3^- , or ClO_4^-
B. Cement formation E. Chlorine dioxide
C. ClO_2^- F. None of the Above
440. The chemical formula for sodium chloride, also known as table salt, is _____.
- A. CaCl_2 D. Cl^- , ClO^- , ClO_2^- , ClO_3^- , or ClO_4^-
B. NaCl E. NaCl_2
C. ClO_2^- F. None of the Above
441. Calcium chloride is a salt that is sold in pellet form for removal of dampness from rooms.
A. True B. False
442. The compound _____ is also used to maintain unpaved roads, fortify road bases, and de-ice roads.
- A. Potassium chloride D. Corresponding anions Cl^- , ClO^- , ClO_2^- , ClO_3^- , or ClO_4^-
B. Calcium chloride E. Chlorine dioxide
C. Chlorite ion F. None of the Above
443. The _____ are a closely monitored constituent of the mud system in the petroleum industry.
- A. Salts D. Chlorides
B. Mudballs E. Chlorine dioxide
C. Chlorite ions F. None of the Above
444. _____ is also a useful indicator of fecal contamination in river/groundwater.
- A. Potassium chloride D. Magnesium chloride
B. Chloride E. Chlorine dioxide
C. Calcium chloride F. None of the Above

Chlorite Ion

445. The formula for chlorite ion is _____.
- A. CaCl_2 D. ClO^-
B. Cl^- E. ClO_3^-
C. ClO_2^- F. None of the Above
446. A chlorite is a compound that contains the chlorite ion ClO_2^- , with chlorine in oxidation state +3,
A. True B. False
447. Chlorine is seen in an oxidation state of +4 in the neutral compound _____.
- A. Calcium chloride D. Potassium chloride
B. Sodium chloride E. Chlorine dioxide ClO_2
C. Magnesium chloride F. None of the Above

Understanding Commonly Used Water Disinfectants

448. Some type of chlorine-based process is used by almost all U.S. water systems that disinfect their water. Chlorine is either used alone or in combination with?
- A. Other disinfectants
 - B. Residual disinfectant
 - C. Chemical compounds
 - D. Disease-causing organisms
 - E. Slime bacteria
 - F. None of the Above
449. Chlorination offers other benefits in addition to controlling disease-causing organisms. As an example, chlorination reduces many _____.
- A. Other disinfectants
 - B. Residual disinfectants
 - C. Chemical compounds
 - D. Customer Complaints
 - E. Disagreeable tastes and odors
 - F. None of the Above
450. Another benefit is that chlorination eliminates _____ that commonly grow in reservoirs, water mains, and storage tanks.
- A. Color
 - B. Residual disinfectants
 - C. Chemical compounds
 - D. Disease-causing organisms
 - E. Slime bacteria, molds and algae
 - F. None of the Above
451. Another benefit is that chlorination removes chemical compounds that have unpleasant tastes and _____.
- A. Combination with other disinfectants
 - B. Residual disinfectant
 - C. Removes chemical compounds
 - D. Disease-causing organisms
 - E. Hinder disinfection
 - F. None of the Above
452. Another benefit is that chlorination helps remove _____ from the raw water supply.
- A. Turbidity
 - B. Residual disinfectant
 - C. Iron and manganese
 - D. Disease-causing organisms
 - E. Slime bacteria
 - F. None of the Above
453. Chlorine-based chemicals provide “_____” levels that prevent microbial re-growth in the water distribution system.
- A. Combination with other disinfectant
 - B. Residual disinfectant
 - C. Static
 - D. Contact time
 - E. Safe
 - F. None of the Above

The Risks of Waterborne Disease

454. E. coli can cause deadly outbreaks of waterborne disease with inadequate or no disinfection of the drinking water.
- A. True
 - B. False
455. _____ is an emerging pathogen that is resistant to chlorination. It can appear even in high quality water sources.
- A. Total Coliform (TC)
 - B. Indicator organisms
 - C. Cholera, polio, typhoid, hepatitis
 - D. Cryptosporidium
 - E. Giardia
 - F. None of the Above

The Benefits of Chlorine

Potent Germicide

456. Chlorine is a potent disinfectant that is added to drinking water to destroy?
- A. Cryptosporidium parvum and Giardia lamblia
 - B. Pathogenic organisms
 - C. Nitrogenous compounds
 - D. Sodium hypochlorite solution
 - E. Chlorine disinfectants
 - F. None of the Above
457. There are several forms of chlorine disinfectants: _____, sodium hypochlorite solution (bleach), and dry calcium hypochlorite.
- A. Cryptosporidium parvum and Giardia lamblia
 - B. Many disease-causing microorganisms
 - C. Elemental chlorine (chlorine gas)
 - D. Sodium hypochlorite solution
 - E. Chlorine disinfectants
 - F. None of the Above
458. Each form of chlorine disinfectant has distinct advantages and limitations for _____.
- A. Cryptosporidium parvum and Giardia lamblia
 - B. Many disease-causing microorganisms
 - C. Particular applications
 - D. Sodium hypochlorite solution
 - E. Chlorine disinfectants
 - F. None of the Above

Taste and Odor Control

459. Chlorine disinfectants reduce many tastes and odors by oxidizing naturally occurring substances such as _____, sulfides, and decaying vegetation.
- A. Cryptosporidium parvum and Giardia lamblia
 - B. Many disease-causing microorganisms
 - C. Nitrogenous compounds
 - D. Sodium hypochlorite solution
 - E. Algae secretions
 - F. None of the Above

Biological Growth Control

460. Chlorine disinfectants remove _____ that commonly grow in reservoirs, on the walls of water mains, and in storage tanks.
- A. Cryptosporidium parvum and Giardia lamblia
 - B. Many disease-causing microorganisms
 - C. Nitrogenous compounds
 - D. Slime bacteria, molds and algae
 - E. Chlorine disinfectants
 - F. None of the Above

Chemical Control

461. Chlorine disinfectants remove ammonia and other _____ that hinder disinfection.
- A. Cryptosporidium parvum and Giardia lamblia
 - B. Disease-causing microorganisms
 - C. Nitrogenous compounds
 - D. Hydrogen sulfides
 - E. Chlorine disinfectants
 - F. None of the Above

Water Treatment

462. In addition to producing a disinfected and chemically safe product, other objectives of water treatment include: no objectionable taste or odor; low levels of color and turbidity; and chemical stability.
- A. True
 - B. False
463. Surface water is more challenging to treat than groundwater, which is naturally filtered as it percolates through sediments.
- A. True
 - B. False

464. Surface water has a heavy load of organics and minerals, and may harbor *Cryptosporidium parvum* and *Giardia lamblia*.
A. True B. False

Water Distribution

465. After it leaves the treatment facility, drinking water must be kept safe from microbial contamination in storage and distribution. A pre-determined chlorine concentration is designed to remain in treated water to provide this protection. This is known as chlorine residual.
A. True B. False
466. A significant intrusion of pathogens may result from a broken water main. The level of the average chlorine residual should still be sufficient to disinfect contaminated water.
A. True B. False

The Challenge of Disinfection Byproducts

467. While disinfection of water is the top priority, water systems must also control disinfection byproducts (DBPs).
A. True B. False
468. The available evidence proves that DBPs in drinking water cause adverse health effects in humans.
A. True B. False

Understanding Disinfection Byproducts (DBPS)

469. Public water systems have widely used _____, along with filtration, to remove microbial pathogens in drinking water.
A. Chlorates D. Ozone
B. UV E. Chlorine and other chemical disinfectants
C. THMs and HAAs F. None of the Above
470. Natural organic matter (NOM) in the source water affects the levels of DBPs that form.
A. True B. False
471. The levels of _____ can vary significantly in different parts of the distribution system, since many continue to form after the water leaves the treatment facility.
A. Haloforms D. Alternative disinfectants
B. Chlorine residual E. DBPs
C. Total concentration F. None of the Above

Updating the Safe Drinking Water Act Regulations

472. The first limit for _____ was 100 parts per billion (ppb) for systems serving more the 10,000 people.
A. Potential DBP risks D. Many trihalomethanes
B. THMs E. Enforceable MCLs
C. HAAs F. None of the Above

Stage 1 DBP Rule

473. The _____ was issued by USEPA in December 1998,
- A. Haloforms rule
 - B. Trihalomethane rule
 - C. Total concentration
 - D. MCL
 - E. Stage 1 DPB rule
 - F. None of the Above
474. A process called enhanced coagulation was mandated by _____ to reduce the potential for DBPs to form.
- A. Potential DBP risks
 - B. The Stage 1 DBP rule
 - C. THMs and HAAs
 - D. Trihalomethanes
 - E. Enforceable MCLs
 - F. None of the Above
475. The _____ sets enforceable MCLs for DBPs: 80 ppb for TTHMs and 60 ppb for HAAs.
- A. Potential DBP rule
 - B. Stage 1 DBP rule
 - C. THMs and HAAs
 - D. Trihalomethane rule
 - E. Enforceable MCLs
 - F. None of the Above
476. The Stage 1 DBP rule set _____ for TTHM and HAAs based on system-wide running annual averages.
- A. Haloforms
 - B. Trihalomethanes
 - C. Total concentration
 - D. MCLs
 - E. Disinfection Byproducts
 - F. None of the Above
477. The EPA recognized that, while alternative disinfectants might reduce _____, other, less understood, byproducts may be produced.
- A. Cryptosporidium
 - B. Giardia
 - C. THMs and HAAs
 - D. Many organics
 - E. Enforceable MCLs
 - F. None of the Above

Total Trihalomethanes

478. There are many hundreds of _____ in addition to trihalomethanes, and the vast majority of them are not monitored.
- A. DBP risks
 - B. THMs
 - C. THMs and HAAs
 - D. Trihalomethanes
 - E. Possible disinfection by-products
 - F. None of the Above
479. Chloroform, bromoform, bromodichloromethane, and dibromochloromethane are the four trihalomethanes regulated in the United States. EPA limits the total concentration of these four constituents, referred to as _____, to 80 parts per billion in treated water.
- A. Haloforms
 - B. Trihalomethanes
 - C. Total concentration
 - D. MCLs
 - E. Total trihalomethanes (TTHM)
 - F. None of the Above

THM Treatment

480. Organic materials which react with chlorine to form THMs are called _____.
- A. Haloforms
 - B. Trihalomethanes
 - C. Total concentration
 - D. MCLs
 - E. Precursors
 - F. None of the Above

481. THM levels can be decreased is by eliminating or reducing chlorination before the _____.
- | | |
|------------------------|----------------------|
| A. Haloforms | D. MCLs |
| B. Trihalomethanes | E. Filters |
| C. Total concentration | F. None of the Above |
482. An alternative disinfectant like _____ could be used to provide oxidation before filtration if needed.
- | | |
|------------------------|----------------------------------------------|
| A. Haloforms | D. Potassium permanganate or peroxide |
| B. Trihalomethanes | E. Disinfectants and Disinfection Byproducts |
| C. Total concentration | F. None of the Above |
483. Removal of _____ through "enhanced coagulation" is considered by the EPA to be the best available technology for THM control at treatment plants.
- | | |
|------------------------|----------------------|
| A. Haloforms | D. MCLs |
| B. Trihalomethanes | E. Precursors |
| C. Total concentration | F. None of the Above |
484. Enhanced coagulation includes treatment techniques to optimize the filtration process to maximize removal of _____.
- | | |
|------------------------|-------------------------|
| A. Potential DBP risks | D. Many trihalomethanes |
| B. THMs | E. Precursors |
| C. THMs and HAAs | F. None of the Above |
485. Removal of THM precursors by filtration is improved by decreasing the pH of the water and increasing the feed rate of _____ prior to filtration.
- | | |
|------------------|-------------------------|
| A. Disinfectants | D. Many trihalomethanes |
| B. Chlorine | E. Coagulants |
| C. THMs and HAAs | F. None of the Above |

Understanding Cryptosporidiosis

486. The transmission of _____ has increased dramatically over the past 20 years, making it an emerging parasitic protozoan pathogen.
- | | |
|---------------------------------|----------------------------------|
| A. Waterborne disease outbreaks | D. Parasitic protozoan pathogens |
| B. Cryptosporidium | E. Emerging waterborne pathogens |
| C. Giardia lamblia | F. None of the Above |
487. Evidence suggests that _____ is spread in day-care centers, widely distributed water supplies, public pools, hospitals, and nursing homes.
- | | |
|--------------------------------|---------------------------------|
| A. Cryptosporidium | D. Parasitic protozoan pathogen |
| B. Chlorine-based disinfectant | E. Emerging waterborne pathogen |
| C. Giardia lamblia | F. None of the Above |
488. Disease cause by _____ can be potentially life-threatening to immunocompromised patients
- | | |
|---------------------------------|----------------------------------|
| A. Cryptosporidium | D. Parasitic protozoan pathogens |
| B. Chlorine-based disinfectants | E. Emerging waterborne pathogens |
| C. Giardia lamblia | F. None of the Above |

489. New drinking water regulations developed by EPA will reduce _____ and other resistant parasitic pathogens.
- | | |
|--------------------|----------------------------------|
| A. Cryptosporidium | D. Parasitic protozoan pathogens |
| B. MIB | E. Emerging waterborne pathogens |
| C. Giardia lamblia | F. None of the Above |
490. The Long Term 2 Enhanced Surface Water Treatment Rule requires source water monitoring for _____.
- | | |
|---------------------------------------|----------------------|
| A. Total Coliform (TC) | D. Cryptosporidium |
| B. Indicator organisms | E. Giardia |
| C. Cholera, polio, typhoid, hepatitis | F. None of the Above |
491. Alternative disinfection methods, such as ozone, UV, or chlorine dioxide, may be adopted by systems with high concentrations of _____ in their source water.
- | | |
|--------------------|-------------------------------------------|
| A. Cryptosporidium | D. Emerging parasitic protozoan pathogens |
| B. Beaver fever | E. Emerging waterborne pathogens |
| C. Giardia lamblia | F. None of the Above |
492. Water systems must continue to maintain residual levels of _____ in their distribution systems, regardless of the primary disinfection method used.
- | | |
|------------------------------------|---------------------------------|
| A. High-test calcium hypochlorites | D. Chlorine-based disinfectants |
| B. Calcium hypochlorite tablets | E. Chlorine dioxide |
| C. Hypochlorous acid | F. None of the Above |

Understanding Giardia lamblia

493. Another emerging waterborne pathogen that can be transmitted to humans through drinking water that might otherwise be considered pristine is _____.
- | | |
|--------------------|---------------------------------------------|
| A. Cryptosporidium | D. An emerging parasitic protozoan pathogen |
| B. Water bear | E. Emerging waterborne pathogen |
| C. Giardia lamblia | F. None of the Above |
494. All warm-blooded animals are known to carry _____, with beaver being a prime source for its transmission to water supplies.
- | | |
|---------------------------------|----------------------------------|
| A. Cryptosporidium | D. New pathogens |
| B. Chlorine-based disinfectants | E. Emerging waterborne pathogens |
| C. Giardia lamblia | F. None of the Above |

Understanding Waterborne Diseases

495. The CDC and USEPA work together to track waterborne outbreaks of both microbial and chemical origins.
- A. True B. False
496. Attending physicians of those who seek medical attention are required to report diagnosed cases of waterborne illness to state health departments.
- A. True B. False
497. State health departments are required to report all cases of waterborne illness to the CDC.
- A. True B. False

Types of Disinfection for Water Treatment

498. Copper sulfate is used in water supply reservoirs to control plant and algae growth.
A. True B. False
499. Potassium permanganate is used to control zebra mussel formation in treatment plants, as well as to remove iron and hydrogen sulfide.
A. True B. False
500. Calcium hydroxide (lime) is used to prevent corrosion in piping by controlling the pH of the treated water.
A. True B. False